

# SERVICE TOOLS

## SAVE \$20

### Professional Micrometer Adjustable Torque Wrenches 1/2" Drive

SKU 133659 25687 **59<sup>99</sup>** REG. \$79.99

- Heavy Duty 24 Tooth Pear Shaped Ratchet Head
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation



25-250 Ft/Lbs. Range

Offer Good Through September 30, 2016 - While Supplies Last

## SAVE \$10

### 3/8" Drive 25-250 In/Lbs. Range

SKU 133657 25685 **39<sup>99</sup>** REG. \$49.99

- 45 Tooth Round Head Ratchet
- Audible Click When Desired Torque is Reached
- Both Clockwise and Counter-Clockwise Operation



### 3/8" Drive 10-100 Ft/Lbs. Range

SKU 133658 25686 **39<sup>99</sup>** REG. \$49.99

Offer Good Through September 30, 2016 While Supplies Last



### Torque Wrenches

#### 1/2" Drive Digital Torque Adapter

SKU 900805 25682 **59<sup>99</sup>**

- Range 40 - 200 N-M (29.5-147.5 Ft/Lbs.)
- Buzzes When Target Torque Is Reached



#### 3/8" Drive Digital Torque Adapter

SKU 362559 25684 **49<sup>99</sup>**

- Range 27 - 135 N-M (238.9-1,194.8 In/Lbs.)

OEM TOOLS



Turn Any Ratchet or Breaker Bar into a Digital Torque Wrench!

#### 1/4" Drive Torque Screwdriver

SKU 695088 33627172 **79<sup>99</sup>**

- Range: 10 - 50 In/Lbs.
- Great for Low Torque Applications
- Easy-to-Read Window Scale



#### 3/4" Drive Torque Multiplier

SKU 191056 25683 **299<sup>99</sup>**

- Increase Torque Output
- It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 N-M) for Heavy Duty Tightening or Loosening. Input Drive 3/4", Output Drive 1"
- Comes with a 3/4" Drive 2 Way Quick Release Ratchet



#### 3/4" Drive Torque Wrench

100-600 Ft/Lbs. Range  
SKU 217376 25688 **349<sup>99</sup>**

- Right Hand Direction



Micrometer Click Style

#### 3/4" Torque Wrench

SKU 850046 33627309 **349<sup>99</sup>**

- Increase Torque Output
- Range: 86-410 Ft/Lbs.
- Torques in Both Directions
- Positive Lock with Spring-Loaded Pull Down Lock Ring
- Torques in Both Directions



Great for 2004-2008 Ford F150 Brake Rotor and Hub Assembly Replacement

### Sensor Sockets

#### Oil Pressure Switch Socket

SKU 141490 25254 **11<sup>99</sup>**

- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units Up to 2-5/8" Long



#### 3/8" Drive Oxygen Sensor Socket

SKU 047738 25001 **12<sup>99</sup>**

- For Use with 3/8" Drive Ratchet or 1" Wrench
- Removes and Installs Oxygen Sensors On All Domestic and Imported Computerized Engine Controlled Vehicles
- Cutaway Slot Provided in the Si



#### Water Sensor Wrench Fits Aftermarket Sensors

SKU 459101 LIS34910 **16<sup>99</sup>**

- Removes and Installs the Aftermarket Water Sensor Located On the Fuel Filter On 2001 through 2011 6.6L Duramax Diesel Engines



#### Water Sensor Wrench

SKU 459099 LIS34900 **16<sup>99</sup>**

- Removes and Installs the Water Sensor Located On the Fuel Filter On 2012 and Newer 6.6L Duramax Diesel Engines



#### Oxygen Sensor Wrench

SKU 947305 33625246 **29<sup>99</sup>**

- Use with Oxygen Sensors On Ford 4.6 and 5.4 Engines
- 7/8"/22 mm Used in SUVs and Light Trucks



#### Oxygen Sensor Socket Set

SKU 695125 33627110 **25<sup>99</sup>**

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22 mm / 7/8"



#### IPR Socket

SKU 080593 LIS86210 **29<sup>99</sup>**

- Used to Remove and Replace the Injector Pressure Regulator (IPR) On Ford 6.0L and Other Diesel Engines
- Designed to Bottom Out On the Hex So It Does Not Put Torque On the Connector in Case It Can Be Reused



#### 7 Piece Sensor Socket Set

SKU 900823 27189 **59<sup>99</sup>**

- For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



### Measuring Tools

#### Feeler Gauge

SKU 001927 25025 **6<sup>99</sup>**

- 26 Blades with Laser Etched In/mm



#### X-Tread Digital Tire Gauge

SKU 186495 FOW74225500 **22<sup>99</sup>**

- For Tire Tread Thickness Measurement
- Reads in Inch, Metric and Fractions



#### Electronic Digital Caliper

SKU 864649 25363 **29<sup>99</sup>**

STORE STOCK

- Large Easy-to-Read LCD Display
- Zeroing Feature
- Thumb Roller with Locking Device



#### Disc Brake Rotor Micrometer

SKU 607071 25367 **49<sup>99</sup>**

STORE STOCK


- .001" Accuracy, .0005" Reading
- Large LCD Display with SAE or Metric Reading
- Manual Power Off/On



#### Dial Indicator Set

SKU 186500 FOW72522101 **69<sup>99</sup>**

- Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case
- 2-1/4" Dial, .001" Increments



#### RotoCal® with Twin Conical Anvils

SKU 186492 FOW74150004 **74<sup>99</sup>**

- Range 0 to 5.5"
- Reads in Inch, Metric and Fractions
- 3.5" Jaw Depth for Large Rotors



#### Mini MAG Protractor

SKU 186501 FOW744224501 **79<sup>99</sup>**

- Embedded Magnets with 35 Lbs. Pull
- Uses Standard 9V Battery
- 360 Degree Measuring Range
- Accuracy +/- 2 Degrees



#### Disc Brake/Ball Joint Gauge

SKU 186496 FOW72520757 **99<sup>99</sup>**

- Checks Ball Joint Wear and Disc Rotor Run-Out
- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations



#### Magnetic Angle Finder

SKU 042343 CEN6494A **22<sup>99</sup>**

- Magnetic Base
- 1/2 Degree Graduations



#### Rotor/Drum Measuring Kit

SKU 186504 CEN3K301 **79<sup>99</sup>**


- Attaches to Any Caliper On the Lower Jaws
- Outward Facing Anvils to Inspect Drums
- Inward Pointing Anvils to Measure Rotors
- 8 to 13" Range
- 0 to 6" Digital Caliper Included



#### Straight Edge 24"x1/4"

SKU 404660 CEN6429 **119<sup>99</sup>**

- Measure Head, Block and Flywheel Straightness
- Precision Ground to +/- .001"



#### 3 Piece Micrometer Set

SKU 186503 CEN3M113 **139<sup>99</sup>**

- 0 to 3" Range
- 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103
- Set Includes Calibration Tools





Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Harmonic Balancer

#### Harmonic Balancer Puller Retrofit Kit for GM

SKU 695100  
33627296 **13<sup>99</sup>**

- Use with OEM 33627019, 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screws into the Threads of the Balancer On GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor that Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads



**OEM TOOLS**

#### Harmonic Balancer/Steering Wheel Puller

SKU 532440  
25053 **17<sup>99</sup>**

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



**OEM TOOLS**

#### Harmonic Balancer Puller Kit

SKU 818738  
25090 **49<sup>99</sup>**

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used On Many GM, Mitsubishi and Chrysler Engines



**OEM TOOLS**

*Unique jaw and returning springs for easy positioning of the puller*

#### 19mm Harmonic Balancer Socket for Honda

SKU 011632  
LIS77080 **29<sup>99</sup>**

- More than 3 Time Standard Socket Mass
- For use with 19mm Applications
- Made with Heat-Treated, Alloy Steel



**Risle**

### Alternator

#### Alternator Decoupler Pulley Tool Kit

SKU 300124  
27261 **24<sup>99</sup>**

- Set Works On Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator Is On or Off the Vehicle
- Comes in a Blow Mold Case



**OEM TOOLS**

#### Alternator Decoupler Tool Set

SKU 255865  
LIS7650 **34<sup>99</sup>**

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case



**Risle**

#### Alternator Decoupler Pulley Service Kit

SKU 695085  
33627275 **60<sup>99</sup>**

- Allows Alternator Shaft to Be Held While the Pulley Retainer Is Removed
- Includes: A Special Set of Spline and Star Socket Bits for a Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



**OEM TOOLS**

### Pullers

#### 2 Jaw 5 Ton Gear Puller

SKU 141513  
25914 **29<sup>99</sup>**

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"



#### 2/3 Jaw 2 Ton Gear Puller

SKU 070134  
25901 **34<sup>99</sup>**

- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4"
- Center Forcing Screw: 3/8" to 24" x 4-7/8"



#### 2/3 Jaw 5 Ton Gear Puller

SKU 231202  
25919 **39<sup>99</sup>**

- Reversible
- Maximum Reach: 5-1/2"
- Maximum Spread: 7"



#### Bearing and Pulley Puller Set

SKU 900824  
27190 **89<sup>99</sup>**

- Use On Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

**OEM TOOLS**



*Makes up to Eighteen different pullers!*

### Specialty Pullers

#### Steering Wheel Puller Leg Kit

SKU 793567  
33627312 **10<sup>00</sup>**

- Steel Construction for Durability
- Includes (2) J Hook Puller Legs
- Use with OEM 27017 Steering Wheel Puller and Other Popular Pullers



#### Steering Pivot Pin Remover

SKU 265106  
25135 **14<sup>99</sup>**

- Works On 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



#### Timing Gear and Pulley Set

SKU 695623  
33627009 **16<sup>99</sup>**


- Services Crankshaft Pulleys and Timing Gears On Gasoline and Diesel Powered Engines



#### Harmonic Balancer Puller

SKU 695619  
33627019 **20<sup>99</sup>**

- Set Includes: Yoke, Pressure Screw, and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Comes in a Sturdy Blow Mold Storage Case
- Yoke Features 4 Slots
- Heat-Treated for Strength and Durability.



**OEM TOOLS**

#### Power Steering Pulley Puller/Installer Kit

SKU 141495  
25298 **32<sup>99</sup>**

- Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"



#### Steering Wheel and Lock Plate Puller Kit

SKU 900821  
27182 **49<sup>99</sup>**

- Used to Pull Steering Wheels On Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



#### VW®/Audi® Diesel Injector Puller Kit

SKU 548566  
27282 **59<sup>99</sup>**

- Remove Diesel Injectors from 1996 to Current VW and Audi Vehicles
- Applications: VW, Audi TDI Engine



**SAVE \$20**

#### Long Reach Harmonic Balancer Pulley Installer

SKU 544785  
24442 **39<sup>99</sup>** REG. \$59.99

- Install Crank Pulley On Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 - GM; M14x1.5 - Dodge, Chrysler, Jeep; M12x1.75 - Dodge, Chrysler, Jeep; M112x1.5 - Ford; Nut / Bearing Assembly



*Offer Good Through September 30, 2016 While Supplies Last*

### Fuel

#### Fuel Pump Module Spanner Wrench

SKU 110278  
25156 **24<sup>99</sup>**

- Removes and Installs the Fuel Pump Retaining Ring



### Slide Hammer Pullers

#### 9 Way Slide Hammer Puller Set

SKU 900825  
27191 **99<sup>99</sup>**


- Pulls Flange Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8" - 18 Thread Slide Hammer Attachments



#### Blind Hole Puller Set

SKU 695118  
33627128 **160<sup>99</sup>**

- Pull Blind Hole Bearings, Bushings and Sleeves with Inside Diameters 3/8" - 1-3/8"



**OEM TOOLS**

**SAVE \$20**

#### Fuel Tank Lock Ring Tool

SKU 751721  
24398 **39<sup>99</sup>** REG. \$59.99

- For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango; 2004 Newer Chevy 1/2 Ton and 3/4 Ton Trucks
- Works with 1/2 Drive Ratchet or Breaker Bar



*Offer Good Through September 30, 2016 While Supplies Last*

### Power Steering

#### Air Bleed Adapter for Ford

SKU 751704  
MITMVA662 **29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Seals Ford Power Steering Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm)
- Works with a Hand Vacuum Pump



#### Air Bleed Adapter for GM

SKU 751698  
MITMVA661 **29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Designed for Sealing GM Power Steering Pumps with a Two-Tab Cap Design
- Works with a Hand Vacuum Pump



#### Universal Air Bleed Adapter

SKU 751699  
MITMVA660 **24<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Rubber, Cone-Shaped Design
- Seals Pump Necks Ranging from 5/8" Up to 1-5/8" (16 Up to 41 mm) Internal Diameter
- Works with a Hand Vacuum Pump



#### 90 Degree Air Bleed Adapter

SKU 751710  
MITMVA665 **24<sup>99</sup>**

- Available Separately and Can Be Interchanged with the In-Line Connector On MVA661 and MVA662
- For Applications with Limited Overhead
- Works with a Hand Vacuum Pump



#### Power Steering Vacuum Pump

SKU 463254  
THX212 **159<sup>99</sup>**

- Bleeds Trapped Air from Power Steering System
- Tapered Adapter Allows Use On Most Makes and Models



**THEXTON**

# SERVICE TOOLS



Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

## Tubing

**Mini Tubing Cutter**  
 SKU 532507  
 25058 **8<sup>99</sup>**

**OEM TOOLS**



- STORE STOCK**
- Capacity: 1/8" to 7/8"
  - Cutter Is Capable of Turning On a 1-7/8" Radius
  - Lightweight for Easy Handling

**Tubing Cutter**  
 SKU 141489  
 25299 **7<sup>99</sup>**

**OEM TOOLS**



- STORE STOCK**
- Cuts Tubes Capacity: 1/8" to 1-1/8"
  - Two Facing Flare Groove Rollers
  - Die Cast Frame with Reamer
  - Alloy Steel Cutting Wheel
  - Large, Easy Grip Knob with 1/8" to 1-1/8" 2 Facing Flare Groove Rollers

**Multi-Purpose Tubing Bender**  
 SKU 390889  
 25179 **14<sup>99</sup>**

**OEM TOOLS**



- STORE STOCK**
- Works On 3/16", 1/4" and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
  - Used to Make Left, Right and Offset Bends Up to 90 Degrees

**SAVE \$18**

**Ratcheting Tubing Cutter**

**OEM TOOLS**

SKU 466309  
 24520 **19<sup>99</sup>** REG. \$37.99

- STORE STOCK**
- Ratcheting Action Ideal Where Space Is Limited
  - Cuts 1/4" to 1-1/8" Tubing



Offer Good Through September 30, 2016  
 While Supplies Last

**In-Line Flaring Tool Kit**

**OEM TOOLS**

SKU 238197  
 24364 **24<sup>99</sup>**

*Create a Perfect Flare Every Time!*

- STORE STOCK**
- Use On Thin Walled Steel and Copper Tubing
  - Low Profile Design Allows for Use On or Off the Vehicle
  - 3/16" and 4.75 mm Tubing
  - Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position



**Double Flaring Tool**

**OEM TOOLS**

SKU 695622  
 33627015 **30<sup>99</sup>**

- Produces Single and Double Flares in Soft Steel



**Tubing Bender Pliers**

SKU 265107  
 25170 **34<sup>99</sup>**

- Bends All Types of 3/16" Brake Lines and 1/4" OD Tubing without Kinking or Flattening, Especially in Tight Spots



**Die and Adapter Flare for GM Transmission Cooling Line**

**Mastercool**  
*"World Class Quality"*

SKU 300785  
 MSC71099-TC **49<sup>99</sup>**

- Die and Adapter Flare for GM Transmission Cooling Line



**Universal Hydraulic Flaring Tool Set**

**Mastercool**  
*"World Class Quality"*

SKU 390927  
 MSC71475 **439<sup>99</sup>**

- Fabricates Push to Connect Flares: 1/4", 5/16" and 3/8"
- GM Fuel Line Flares: 5/16" and 3/8"
- Double Flares: 3/16", 1/4", 5/16", 3/8" and 1/2"
- Metric Bubble Flares: 4.75, 6, 8 and 10 mm



**Double Flaring Tool**

**OEM TOOLS**

SKU 864647  
 25358 **21<sup>99</sup>**

- STORE STOCK**
- Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through 12.7 mm)



## Exhaust Tools

**Exhaust Manifold Spreader Set**

**OEM TOOLS**

SKU 504028  
 25253TWO **22<sup>99</sup>**

- Used for Reinstalling the Manifold On Small Block Chevrolets
- Simple Way to Expand a Warped Manifold So All Bolt Holes Are Accurately Aligned
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Mis-Alignment



**Tailpipe Cutter**

**OEM TOOLS**

SKU 695599  
 33627045 **50<sup>99</sup>**

- Used to Cut Tailpipe
- Range 3/4" to 3 - 1/4" (19 - 83 mm)



**Pipe Stretcher Kit**

**Leak**

SKU 080137  
 LIS17350 **274<sup>99</sup>**

- Expands All Types of Exhaust Pipe, Including Stainless Steel, from 1 - 5/8" to 4 - 1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes
- Collet Sets Expand Pipes from 1-5/8" to 4-1/4"



## Thread Repair

**Nes**  
*The Thread Repair Experts*

**2 Piece External Thread Repair Set 5/32" - 1.1/2"**

SKU 343361  
 NES1000\* **199<sup>99</sup>**

- Includes the NES1A and NES2
- Restores Inch or Metric, Right or Left Handed Fastener Threads



\*NES Set Comes with Extra Blades

**External Thread Repair 5/32" - 1/2"**

SKU 343360  
 NES6040 **39<sup>99</sup>**

- Restores Inch or Metric, Right or Left Handed Fastner Threads



**External Thread Repair 5/32" - 11/16"**

SKU 343365  
 NES1A **74<sup>99</sup>**

- Also Repairs Damaged Threads On Pipes up to 7/16"



**External Thread Repair 11/16" - 1 - 1/2"**

SKU 343366  
 NES2 **104<sup>99</sup>**

- Restores Inch or Metric, Right or Left Handed Fastner Threads



**Internal Thread Repair**

5/16" - 7/16"  
 SKU 343367  
 NES21 **84<sup>99</sup>**

1/2" - 5/8"  
 SKU 343369  
 NES22 **84<sup>99</sup>**



Scan the QR Code for More Info On NES Thread Repair Products

## Thread Chasers

**OEM TOOLS**

**Spark Plug Hole Thread Chaser**

SKU 070109  
 25124 **6<sup>99</sup>**

- STORE STOCK**
- Double End for 14 mm and 18 mm
  - For Use with 13/16" Deep Sockets
  - Cleans Spark Plug Threads of Dirt and Carbon Build-Up



**Limited Access Spark Plug Chaser**

**OEM TOOLS**

SKU 607068  
 25155 **12<sup>99</sup>**

- STORE STOCK**
- Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
  - Use with a 3/8" Ratchet or Extension
  - Size: M14 x 1.25



**Oxygen Sensor Thread Chaser**

**OEM TOOLS**

SKU 607067  
 25255 **13<sup>99</sup>**

- STORE STOCK**
- Use with 3/8" Hex Socket or 3/8" Square Drive
  - Size: M18 x 1.5



## Spark Plug Installation

**Heavy Duty Spark Plug Boot Pliers**

SKU 390900  
 25542 **9<sup>99</sup>**

- STORE STOCK**
- Designed to Remove Hard-to-Reach Spark Plug Boots
  - Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
  - Vinyl Coated Grips for Comfort
  - Do Not Use When the Engine Is Running



**3/8" Drive 9/16" Spark Plug Socket**

**OEM TOOLS**

SKU 265110  
 25259 **22<sup>99</sup>**

- 10" Long with Thin Wall Design to Reach in to the Cylinder Head
- Fits 2004-Newer Ford F-150 Pick-Up Trucks with 5.4L 3 Valve Triton V-8 Engines
- Chamfered Ends
- Chrome Plated to Resist Rust



**SCHRADE**

**colorshift**

- Assisted Open, Finger Actuator
- 2.9" 4034 Stainless Steel Blade
- 4.4" Colorshift® Aluminum Handle

SKU 452991  
 SCHA3CBS **63<sup>99</sup>**

\*Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.



**M&P**  
 by Smith & Wesson

**M.A.G.I.C. KNIFE**

- Assisted Open, 40% Serrated
- 3.4" 4034 Stainless Steel Blade
- 4.3" Aluminum Handle

SKU 452998  
 SWMP6S **63<sup>99</sup>**

\*Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.



**DID YOU KNOW?**

AutoZone has instrument clusters available.

Contact Your AutoZone Commercial Sales Manager for Details