

# SERVICE TOOLS

## Harmonic Balancer

### Harmonic Balancer Puller Retrofit Kit for GM

SKU 695100  
33627296

**14<sup>99</sup>**

- Use with OEM 33627019, 27019 and 25053 Harmonic Balancer Pullers and Many Other Popular Balancer Pullers
- The 3 Bolts Fit Through the Slotted Holes in the Balancer and Screws Into the Threads of the Balancer on GM 3300 and 3800 V6 Engines
- Shoulders on the Bolts Prevent Damage to the Crank Sensor That Can Occur When Using Standard Bolts
- Includes Spacer to Prevent Damage to Crankshaft and Threads



### 19 mm Harmonic Balancer Socket for Honda

SKU 011632  
LIS77080

**29<sup>99</sup>**

- More Than 3 Times Standard Socket Mass
- For Use with 19 mm Applications
- Made with Heat-Treated, Alloy Steel



### Harmonic Balancer/Steering Wheel Puller

SKU 532440  
25053

**17<sup>99</sup>**

**STORE STOCK**

- Removes Balancers, Steering Wheels, Pulleys and/or Gears with Tapped Holes
- Floating Swivel Helps Prevent Damage to Shaft End
- 4 Slots in Yoke, Use for 2 or 3 Hole Applications with 3/8"-24, 5/16"-18 and 3/8"-16 Bolt Sizes



### Harmonic Balancer Puller Kit

SKU 818738  
25090

**49<sup>99</sup>**

- Includes: Puller Body, 3 Jaw Puller, (3) Jaw Retaining Pins, (3) Wave Washers, Pressure Screw
- Insert Rods: 4", 5-13/32", 6-1/2" and 7-13/32"
- Used on Many GM, Mitsubishi and Chrysler Engines




### Harmonic Balancer Puller

SKU 695619  
33627019

**20<sup>99</sup>**

- Set Includes: Yoke, Pressure Screw, and Pulling Screws
- Floating Swivel Prevents Damage to Shaft Ends
- Comes in a Sturdy Blow Mold Storage Case
- Yoke Features 4 Slots
- Heat-Treated for Strength and Durability.



### Long Reach Harmonic Balancer Pulley Installer

SKU 544785  
24442

**49<sup>99</sup>**

REG. \$59.99

- Install Crank Pulley on Many Late Model Ford, GM, Dodge and Chrysler Vehicles with V8 and V6 Engines
- Includes: M16x2.0 - GM; M14x1.5 - Dodge, Chrysler, Jeep; M12x1.75 - Dodge, Chrysler, Jeep; M11x1.5 - Ford; Nut / Bearing Assembly



**SAVE \$10**

Offer Good Through March 31, 2017 - While Supplies Last

## Alternator

### Alternator Decoupler Pulley Tool Kit

SKU 300124  
27261

**24<sup>99</sup>**

- Set Works on Both Overriding Alternator Decoupler (OAD) and One-Way Clutch (OWC) Pulleys
- Tools May Be Used While the Alternator is On or Off the Vehicle
- Comes in a Blow Mold Case



### Alternator Decoupler Tool Set

SKU 255865  
LIS57650

**34<sup>99</sup>**

- Five Piece Kit for Removing and Installing Many Alternator Decoupler Pulleys on the Most Popular Vehicles in North America
- Comes in a Blow Mold Case



### Alternator Decoupler Pulley Service Kit

SKU 695085  
33627275

**64<sup>99</sup>**

- Allows Alternator Shaft to Be Held While the Pulley Retainer is Removed
- Includes: a Special Set of Spline and Star Socket Bits for Removal of Bosch Type Alternator Free-Wheel Drive Pulleys



## Specialty Pullers

### Steering Wheel Puller Leg Kit

SKU 793567  
33627312

**10<sup>99</sup>**

- Steel Construction for Durability
- Includes (2) J Hook Puller Legs and Spacer for Expanded Coverage
- Use with OEM 27017, 33627019, 27182 and Other Popular Pullers



### Steering Pivot Pin Remover

SKU 265106  
25135

**14<sup>99</sup>**

- Works on 1969 to Current GM, Chrysler and Ford Vehicles with Saginaw Steering Columns



### Timing Gear and Pulley Set

SKU 695623  
33627009

**16<sup>99</sup>**

- Services Crankshaft Pulleys and Timing Gears on Gasoline and Diesel Powered Engines



### Power Steering Pulley Puller/Installer Kit

SKU 141495  
25298

**32<sup>99</sup>**

**STORE STOCK**

- Fits Pulleys with Hub Diameters Measuring 1-1/8", 1-1/4", 1-5/16" and 1-3/8"




### Steering Wheel and Lock Plate Puller Kit

SKU 900821  
27182

**49<sup>99</sup>**

- Used to Pull Steering Wheels on Many Major Makes of Automobiles
- Includes Yoke, Pressure Screw and Five Sets of Pulling Screws with Washers and Swivel



### VW®/Audi® Diesel Injector Puller Kit

SKU 548566  
27282

**59<sup>99</sup>**

- Remove Diesel Injectors From 1996 to Current VW and Audi Vehicles
- Applications: VW, Audi TDI Engine



## Slide Hammer Pullers

### 9 Way Slide Hammer Puller Set

SKU 900825  
27191

**99<sup>99</sup>**

- Pulls Flange Type Rear Axles and Most Front Wheel Drive Hubs
- Internal and External Jaws Provide a Variety of Combinations to Pull Bearings, Gears and Seals
- Two and Three-Way Cross Blocks
- Set Also Includes a Grip Wrench Adapter and a Dent Puller Attachment
- Designed for Use with Other 5/8" - 18 Thread Slide Hammer Attachments




### Blind Hole Puller Set

SKU 695118  
33627128

**160<sup>99</sup>**

- Pull Blind Hole Bearings, Bushings and Sleeves with Inside Diameters 3/8" - 1-3/8"



## Pullers

### 2 Jaw 5 Ton Gear Puller

SKU 141513  
25914

**29<sup>99</sup>**

**STORE STOCK**

- Reversible
- Maximum Reach: 3-1/4"
- Maximum Spread: 6"



### 2/3 Jaw 5 Ton Gear Puller

SKU 231202  
25919

**39<sup>99</sup>**

**STORE STOCK**

- Reversible
- Maximum Reach: 5-1/2"
- Maximum Spread: 7"



### 2/3 Jaw 2 Ton Gear Puller

SKU 070134  
25901

**34<sup>99</sup>**

**STORE STOCK**

- Maximum Reach: 3-1/2"
- Maximum Spread: 4-3/4"
- Center Forcing Screw: 3/8" to 24" x 4-7/8"



### Bearing and Pulley Puller Set

SKU 900824  
27190

**89<sup>99</sup>**

- Use on Pitman Arms, Timing Gears, Carrier Side Bearings, Crankshaft Pulleys and More

**Makes Up to Eighteen Different Pullers!**



## Power Steering

### Universal Air Bleed Adapter

SKU 751699  
MITMVA660

**24<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Rubber, Cone-Shaped Design
- Seals Pump Necks Ranging From 5/8" Up to 1-5/8" (16 Up to 41 mm) Internal Diameter
- Works with a Hand Vacuum Pump



### Air Bleed Adapter for Ford

SKU 751704  
MITMVA662

**29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Seals Ford Power Steering Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm)
- Works with a Hand Vacuum Pump



### 90 Degree Air Bleed Adapter

SKU 751710  
MITMVA665

**24<sup>99</sup>**



### Air Bleed Adapter for GM

SKU 751698  
MITMVA661

**29<sup>99</sup>**

- Helps Remove Trapped Air in the Power Steering System
- Designed for Sealing GM Power Steering Pumps with a Two-Tab Cap Design
- Works with a Hand Vacuum Pump



### Power Steering Bleeder Kit

SKU 434716  
27311

**29<sup>99</sup>**

**NEW**

- Eliminate Trapped Air in Power Steering and Brake Systems Following Repairs or Fluid Changes
- Includes 2 EPDM Tapered Rubber Adapters to Fit Most Power Steering Pumps and Reservoirs, Reservoir Bottle to Protect Hand Vacuum Pumps and 3 Sizes of Brake Bleeder Adapters
- Works with a Hand Vacuum Pump
- Includes Blow Case



### Power Steering Vacuum Pump

SKU 463254  
THX212

**159<sup>99</sup>**

- Bleeds Trapped Air From Power Steering System
- Tapered Adapter Allows Use on Most Makes and Models







Contact Us:  
**1-877-AZTool1** Phone  
 (1-877-298-6651) *Hablamos Español*

### Measuring Tools

#### Feeler Gauge

SKU 001927  
25025 **6<sup>99</sup>**

- STORE STOCK**  
 • 26 Blades with Laser Etched In/mm



OEM TOOLS

#### 6" Digital Caliber

SKU 013642  
24680 **12<sup>99</sup>**

- STORE STOCK**  
 • Easy-to-Read LED Display



- 0-6 In. Range (0-150 mm)  
 • Zeroing Feature

OEM TOOLS

#### X-Tread Digital Tire Gauge

SKU 186495  
FOW74225500 **22<sup>99</sup>**

- For Tire Tread Thickness Measurement  
 • Reads in Inch, Metric and Fractions



Fowler

#### Magnetic Angle Finder

SKU 042343  
CEN6494A **22<sup>99</sup>**

- Magnetic Base  
 • 1/2 Degree Graduations



Central TOOLS, Inc.  
QUALITY AND INNOVATION SINCE 1988

#### Disc Brake Rotor Micrometer

SKU 607071  
25367 **49<sup>99</sup>**

- STORE STOCK**  
 • .001" Accuracy, .0005" Reading  
 • Large LCD Display with SAE or Metric Reading  
 • Manual Power Off/On



OEM TOOLS

#### Dial Indicator Set

SKU 186500  
FOW72522101 **69<sup>99</sup>**

- Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case  
 • 2-1/4" Dial, .001" Increments



Fowler

#### RotoCal® with Twin Conical Anvils

SKU 186492  
FOW74150004 **74<sup>99</sup>**

- Range 0 to 5.5"  
 • Reads in Inch, Metric and Fractions  
 • 3.5" Jaw Depth for Large Rotors



Fowler

#### Mini MAG Protractor

SKU 186501  
FOW744224501 **79<sup>99</sup>**

- Embedded Magnets with 35 Lbs. Pull  
 • Uses Standard 9V Battery  
 • 360 Degree Measuring Range  
 • Accuracy +/-2 Degrees




Fowler

#### Rotor/Drum Measuring Kit

SKU 186504  
CEN3K301 **79<sup>99</sup>**

- Attaches to Any Caliper on the Lower Jaws  
 • Outward Facing Anvils to Inspect Drums  
 • Inward Pointing Anvils to Measure Rotors  
 • 8 to 13" Range  
 • 0 to 6" Digital Caliper Included



Central TOOLS, Inc.  
QUALITY AND INNOVATION SINCE 1988

#### Disc Brake/Ball Joint Gauge

SKU 186496  
FOW72520757 **99<sup>99</sup>**

- Checks Ball Joint Wear and Disc Rotor Run-Out  
 • Checks Gear Backlash and Valve Guide Wear  
 • 0 to 1" Travel and .001" Graduations



Fowler

#### Straight Edge 24"x1/4"

SKU 404660  
CEN6429 **119<sup>99</sup>**

- Measure Head, Block and Flywheel Straightness  
 • Precision Ground to +/- .001"



Central TOOLS, Inc.  
QUALITY AND INNOVATION SINCE 1988

#### 3 Piece Micrometer Set

SKU 186503  
CEN3M113 **139<sup>99</sup>**

- 0 to 3" Range  
 • 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103  
 • Set Includes Calibration Tools



Central TOOLS, Inc.  
QUALITY AND INNOVATION SINCE 1988

### Torque Adaptors

#### 3/8" Drive Digital Torque Adapter

SKU 362559  
25684 **49<sup>99</sup>**

- Range 27 - 135 N-M (238.9-1,194.8 In/Lbs.)

Turn Any Ratchet or Breaker Bar Into a Digital Torque Wrench!



OEM TOOLS

#### 1/2" Drive Digital Torque Adapter

SKU 900805  
25682 **59<sup>99</sup>**

- Range 40 - 200 N-M (29.5-147.5 Ft/Lbs.)  
 • Buzzes When Target Torque is Reached



### Torque Wrenches

#### 3/8" Drive Torque Wrench 25-250 In/Lbs. Range

SKU 133657  
25685 **49<sup>99</sup>**

#### 3/8" Drive Torque Wrench 10-100 Ft/Lbs. Range

SKU 133658  
25686 **49<sup>99</sup>**

- 45 Tooth Round Head Ratchet  
 • Audible Click When Desired Torque is Reached  
 • Both Clockwise and Counter-Clockwise Operation



OEM TOOLS

#### 3/4" Drive Professional Micrometer Torque Wrench, 80-400 Ft/Lbs. Range

SKU 850046  
33627309 **349<sup>99</sup>**

- Range: 86-400 Ft/Lbs.  
 • Torques in Both Directions  
 • Positive Lock with Spring-Loaded Pull Down Lock Ring  
 • Torques in Both Directions

Great for 2004-2008 Ford F150 Brake Rotor and Hub Assembly Replacement



OEM TOOLS

#### 1/2" Drive Professional Micrometer Adjustable Torque Wrench

SKU 133659  
25687 **69<sup>99</sup>** REG. 79.99

- Heavy Duty 24 Tooth Pear Shaped Ratchet Head  
 • Audible Click When Desired Torque is Reached  
 • Both Clockwise and Counter-Clockwise Operation



OEM TOOLS

SAVE \$10

Offer Good Through March 31, 2017 - While Supplies Last

#### 3/4" Drive Professional Micrometer Torque Wrench 100-600 Ft/Lbs. Range

SKU 217376  
25688 **349<sup>99</sup>**

- Right Hand Direction

Micrometer Click Style



OEM TOOLS

### Torque Multipliers

#### 3/4" Drive Torque Multiplier

SKU 191056  
25683 **299<sup>99</sup>**

- Increase Torque Output  
 • It Utilizes a 3:1 Ratio Planetary Gear Set to Convert Low Torque (Max. 650 Ft/Lbs.) to High Torque (2,200 Ft/Lbs. / 3,000 N-M) for Heavy Duty Tightening or Loosening. Input Drive 3/4", Output Drive 1".  
 • Comes with a 3/4" Drive 2 Way Quick Release Ratchet



OEM TOOLS

### Torque Screwdriver

#### 1/4" Drive Torque Screwdriver

SKU 695088  
33627172 **79<sup>99</sup>**

- Range: 10 - 50 In/Lbs.  
 • Great for Low Torque Applications  
 • Easy-to-Read Window Scale

OEM TOOLS

25-250 Ft/Lbs. Range



### Sensor Sockets

#### Oil Pressure Switch Socket

SKU 141490  
25254 **11<sup>99</sup>**

- STORE STOCK**  
 • Fits Most 1" and 1-1/16" Switches  
 • Accepts Oil Pressure Sending Units Up to 2-5/8" Long



OEM TOOLS

#### 3/8" Drive Oxygen Sensor Socket

SKU 047738  
25001 **12<sup>99</sup>**

- STORE STOCK**  
 • For Use with 3/8" Drive Ratchet or 1" Wrench  
 • Removes and Installs Oxygen Sensors on All Domestic and Imported Computerized Engine Controlled Vehicles  
 • Cutaway Slot Provided in the Side for Sensor Wire Clearance  
 • Durable Alloy Steel Construction



OEM TOOLS

#### Water Sensor Wrench Fits Aftermarket Sensors

SKU 459101  
LIS34910 **16<sup>99</sup>**

- Removes and Installs the Aftermarket Water Sensor Located on the Fuel Filter on 2001 through 2011 6.6L Duramax Diesel Engines



Lisle

#### Water Sensor Wrench

SKU 459099  
LIS34900 **16<sup>99</sup>**

• Removes and Installs the Water Sensor Located on the Fuel Filter on 2012 and Newer 6.6L Duramax Diesel Engines



Lisle

#### Oxygen Sensor Socket Set

SKU 695125  
33627110 **25<sup>99</sup>**

- Universal Slotted Socket to Service Hex Vacuum Switches and Oxygen Sensors  
 • 3/8" and 1/2" Drive, 22 mm / 7/8"



OEM TOOLS

#### Oxygen Sensor Wrench

SKU 947305  
33625246 **29<sup>99</sup>**

- STORE STOCK**  
 • Use with Oxygen Sensors on Ford 4.6 and 5.4 Engines  
 • 7/8" / 22 mm Used in SUVs and Light Trucks



OEM TOOLS

#### IPR Socket

SKU 080593  
LIS68210 **29<sup>99</sup>**

- Used to Remove and Replace the Injector Pressure Regulator (IPR) on Ford 6.0L and Other Diesel Engines  
 • Designed to Bottom Out on the Hex So it Does Not Put Torque on the Connector in Case it Can Be Reused



Lisle

#### 7 Piece Sensor Socket Set

SKU 900823  
27189 **59<sup>99</sup>**

- For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



OEM TOOLS



# SERVICE TOOLS

## Exhaust Tools

### Exhaust Manifold Spreader Set

SKU 504028  
25253TWO **22<sup>99</sup>**

- Used for Reinstalling the Manifold on Small Block Chevrolests
- Simple Way to Expand a Warped Manifold So All Bolt Holes are Accurately Aligned
- Helps Prevent Cross-Threading of Manifold Bolts
- Works Best When Used in Pairs or Install Before Removing Manifold to Prevent Mis-Alignment



OEM TOOLS

### Tailpipe Cutter

SKU 695599 **50<sup>99</sup>**  
33627045

- Used to Cut Tailpipe
- Range 3/4" to 3 - 1/4" (19 - 83 mm)

OEM TOOLS



### Pipe Stretcher Kit

SKU 080137 **274<sup>99</sup>**  
LIS17350

- Expands All Types of Exhaust Pipe, Including Stainless Steel, From 1 - 5/8" to 4 - 1/4" in Size
- Use with Impact Wrench to Quickly Stretch Pipes
- Collet Sets Expand Pipes From 1-5/8" to 4-1/4"



### 1-1/2" x 2-7/16" Tailpipe Expander

SKU 695615 **25<sup>99</sup>**  
33627027

### 2-1/8" x 3-7/16" Tailpipe Expander

SKU 695614 **35<sup>99</sup>**  
33627028

- Expands Tail Pipes So Mufflers and Tail Pipes Can Be Fitted to the Exhaust System

OEM TOOLS



## Thread Repair



### 2 Piece External Thread Repair Set 5/32" - 1 1/2"

SKU 343361 **199<sup>99</sup>**  
NES1000\*

- Includes the NES1A and NES2
- Restores Inch or Metric, Right or Left Handed Fastener Threads



\*NES Set Comes with Extra Blades

### External Thread Repair 5/32" - 1/2"

SKU 343360 **39<sup>99</sup>**  
NES6040

- Restores Inch or Metric, Right or Left Handed Fastener Threads



### External Thread Repair 5/32" - 11/16"

SKU 343365 **74<sup>99</sup>**  
NES1A

- Also Repairs Damaged Threads on Pipes Up to 7/16"



### External Thread Repair 11/16" - 1 - 1/2"

SKU 343366 **104<sup>99</sup>**  
NES2

- Restores Inch or Metric, Right or Left Handed Fastener Threads



### Internal Thread Repair

5/16" - 7/16"

SKU 343367 **84<sup>99</sup>**  
NES21

1/2" - 5/8"

SKU 343369 **84<sup>99</sup>**  
NES22



Scan the QR Code for More Info on NES Thread Repair Products

## Thread Chasers

OEM TOOLS

### Spark Plug Hole Thread Chaser

SKU 070109 **6<sup>99</sup>**  
25124

STORE STOCK

- Double End for 14 mm and 18 mm
- For Use with 13/16" Deep Sockets
- Cleans Spark Plug Threads of Dirt and Carbon Build-Up



### Limited Access Spark Plug Chaser

SKU 607068 **12<sup>99</sup>**  
25155

STORE STOCK

- Narrow Profile and Long Length Allows Access to Spark Plug Holes in Confined Spaces
- Use with a 3/8" Ratchet or Extension
- Size: M14 x 1.25



OEM TOOLS

### Oxygen Sensor Thread Chaser

SKU 607067 **13<sup>99</sup>**  
25255

STORE STOCK

- Use with 3/8" Hex Socket or 3/8" Square Drive
- Size: M18 x 1.5



OEM TOOLS

## Tubing

OEM TOOLS

### Mini Tubing Cutter

SKU 532507 **8<sup>99</sup>**  
25058

STORE STOCK

- Capacity: 1/8" to 7/8"
- Cutter is Capable of Turning on a 1-7/8" Radius
- Lightweight for Easy Handling



### Tubing Cutter

SKU 141489 **7<sup>99</sup>**  
25299

STORE STOCK

- Cuts Tubes Capacity: 1/8" to 1-1/8"
- Two Facing Flare Groove Rollers
- Die Cast Frame with Reamer
- Alloy Steel Cutting Wheel
- Large, Easy Grip Knob with 1/8" to 1-1/8" Two Facing Flare Groove Rollers



OEM TOOLS

### Multi-Purpose Tubing Bender

SKU 390889 **14<sup>99</sup>**  
25179

STORE STOCK

- Works on 3/16", 1/4" and 3/8" (4, 6, and 8 mm) O.D. Copper, Aluminum and Stainless Steel Tubing
- Used to Make Left, Right and Offset Bends Up to 90 Degrees



OEM TOOLS

### Double Flaring Tool

SKU 864647 **21<sup>99</sup>**  
25358

STORE STOCK

- Includes Five Adapters: 3/16", 1/4", 5/16", 3/8" and 1/2" (4.8 mm Through 12.7 mm)



OEM TOOLS

### In-Line Flaring Tool Kit

SKU 238197 **24<sup>99</sup>**  
24364

STORE STOCK

- Use on Thin Walled Steel and Copper Tubing
- Low Profile Design Allows for Use On or Off the Vehicle
- 3/16" and 4.75 mm Tubing
- Double Clamp and Hex Screw Keeps Tubing Locked Tightly in Position




OEM TOOLS

### Double Flaring Tool

SKU 695622 **30<sup>99</sup>**  
33627015

- Produces Single and Double Flares in Soft Steel



OEM TOOLS

### Ratcheting Tubing Cutter

SKU 466309 **37<sup>99</sup>**  
24520

STORE STOCK

- Ratcheting Action Ideal Where Space is Limited
- Cuts 1/4" to 1-1/8" Tubing



OEM TOOLS

### Die and Adapter Flare for GM Transmission Cooling Line

SKU 300785 **49<sup>99</sup>**  
MSC71099-TC

- Die and Adapter Flare for GM Transmission Cooling Line



### Universal Hydraulic Flaring Tool Set

SKU 390927 **439<sup>99</sup>**  
MSC71475

- Fabricates Push to Connect Flares: 1/4", 5/16" and 3/8"
- GM Fuel Line Flares: 5/16" and 3/8"
- Double Flares: 3/16", 1/4", 5/16", 3/8" and 1/2"
- Metric Bubble Flares: 4.75, 6, 8 and 10 mm



## Fuel

OEM TOOLS

### Fuel Pump Module Spanner Wrench

SKU 110278 **24<sup>99</sup>**  
25156

- Removes and Installs the Fuel Pump Retaining Ring



### Fuel Tank Lock Ring Tool

SKU 751721 **49<sup>99</sup>**  
24398 REG. \$59.99

- For 2004 - Newer Ford F150 Trucks; 2004 or Newer Chrysler/Dodge Mini-Vans, PT Cruiser, Dakota, Durango; 2004 Newer Chevy 1/2 Ton and 3/4 Ton Trucks
- Works with 1/2 Drive Ratchet or Breaker Bar



SAVE \$10

Offer Good Through March 31, 2017 - While Supplies Last

## Spark Plug Installation


OEM TOOLS

### Heavy Duty Spark Plug Boot Pliers

SKU 390900 **9<sup>99</sup>**  
25542

STORE STOCK

- Designed to Remove Hard-to-Reach Spark Plug Boots
- Has 45 Degree Offset Jaws for Easy Gripping of Wires and Boots
- Vinyl Coated Grips for Comfort
- Do Not Use When the Engine is Running



### 3/8" Drive 9/16" Spark Plug Socket


SKU 265110 **22<sup>99</sup>**  
25259

- 10" Long with Thin Wall Design to Reach Into the Cylinder Head
- Fits 2004-Newer Ford F-150 Pick-Up Trucks with 5.4L 3 Valve Triton V-8 Engines
- Chamfered Ends
- Chrome Plated to Resist Rust



OEM TOOLS

## SCHRADE



- Assisted Open, Finger Hole
- 2.5" 4034 Stainless Steel Blade
- 3.4" Black Aluminum Handle

SKU 452993 **47<sup>99</sup>**  
SCHSA3DB

\* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.



### M.A.G.I.C. KNIFE

- Assisted Open, 40% Serrated
- 3.4" 4034 Stainless Steel Blade
- 4.3" Aluminum Handle

SKU 452998 **63<sup>99</sup>**  
SWMP6S

\* Products advertised may be considered illegal and may not be lawful to sell, purchase or own in specific areas.

DID YOU KNOW?

AutoZone has availability on MOOG Hub Bearings.

Contact Your AutoZone Commercial Sales Manager for Details