SHOP EQUIPMENT

Shop Heaters

1500W 120V Shop Heater

SKU **814316** 24823

- Stainless Steel Heating Element
- Adjustable Thermostat
- Auto-reset Overheat Protection • Durable, Rust Resistant
- Fan Mode
- Carry Handle and 6' Cord
- 120V Input



OEM TOOLS 4800W 240V **Wall Mount Heater**

SKU **814134** 24824

- Stainless Steel Heating Element
- Wireless Remote Control
- Auto-Reset Overheat Protection
- Adjustable Thermostat with LED Display
- Timer Mode 1-9 Hours
- Fan Only Mode
- Durable, Rust Resistant Powder Coated Finish
- Convenient Handle with Built In Cord Storage
- Includes Wall/Ceiling Mounted Bracket
- 208-240V Input Power





- Adjustable Heating Output from 40-60K BTU
- Built-in Overheating Protection

40-60K BTU Liquid

Propane Heater

- 115V AC Power Input for Multi Purpose Use
- Adjustable Angle Base
- Operates on Liquid Propane Gas
- Includes Regulator and 10' Hose



OEM TOOLS

Kerosene Heaters

75,000 BTU **Kerosene Forced Air Heater** SKU **546639**



8.9 Hours

MTMMH0075M10



135,000 BTU **Kerosene Forced Air Heater** SKU **546641** MTMMH0135M10

3,100 Sq. Ft.



190,000 BTU **Kerosene Forced Air Heater** SKU **546640** MTMMH0190M10

4,300 Sq. Ft.

9.1 Hours



Model Number	Heat Output	Hot-Air Flow	Air Pump Pressure	AC Power	Motor Size	Fuel Tank Capacity	Fuel Consumption	Max. Operating Hours	Heating Area	Multi-Fuel Capable	Digital Temp. Read-Out	Error Indicator Read-Out	Parts Storage System	Dimensions (LxWxH)	Ship Wt.	Net Wt.
мтммноо75м10	75,000 BTU	240 CFM	4.0 PSI	120V, 60Hz, 1.5 Amps	1/8 HP	5.0 Gal.	0.56 Gal./Hr.	8.9 Hours	1,700 Sq. Ft.	Yes	No	No	No	30x13x15 In.	33 Lbs.	28 Lbs.
MTMMH0135M10	135,000 BTU	540 CFM	5.0 PSI	120V, 60Hz, 2.3 Amps	1/5 HP	10.0 Gal.	1.00 Gal./Hr.	10.0 Hours	3,100 Sq. Ft.	Yes	Yes	Yes	Yes	37x22x25 In.	57 Lbs.	51 Lbs.
мтммно190м10	190,000 BTU	630 CFM	7.5 PSI	120V, 60Hz, 2.7 Amps	1/4 HP	13.0 Gal.	1.42 Gal./Hr.	9.1 Hours	4,300 Sq. Ft.	Yes	Yes	Yes	Yes	42x24x26 In.	65 Lbs.	58 Lbs.

Mi-T-M Kerosene-Fired Forced Air Heaters are Portable, Easy to Operate and Extend Heat Into Wide Areas Creating a Comfortable Work Environment Even in the Harshest Conditions

FURNACES ONLY

SKU

012654

012653

012656

HEATS UP TO

3,500 Sq. Ft.

5,000 Sq. Ft.

8.500 Sa. Ft.

Waste Oil Heaters / Use your waste oil to heat your shop for FREE!

energylogic...

COMPLETE STATEMS (includes furface, talk and fide kit)								
			250 GALLON TANK					
FURNACE	BTUs	HEATS UP TO	SKU	PART NO.	PRICE			
EL-140	140,000	3,500 Sq. Ft.	850048	ENL01140103	\$6,999.99			
EL-200	200,000	5,000 Sq. Ft.	850047	ENL01200104	\$8,199.99			
EL-350	350,000	8,500 Sq. Ft.	850049	ENL01350104	\$9,819.99			

*Includes Waste Oil Furnace and 250 Gallon Tank, Swing-Away Burner with Built-in Air Compressor, Low-fuel Cut Off, Draft Gauge, Fuel Gauge, Drain Valve and Class A Flue Kit. Also available with 130 and 200 gallon tank.

FURNACE

EL-140

EL-200

EL-350

BTUs

140,000

200,000

350,000



IT JUST MAKES CENTS 1 gallon of used oil is equal to 1 hour of free heat



You don't need to hook up shop air to our furnaces



Uses the widest range of oils, including synthetics



GET WARMER FASTER Our hotter flame produces double the heat rise



MONEYBACK GUARANTEE The industry's only moneyback guarantee

PART NO.

ENLEL01140101

ENLEL01200101

ENLEL01350101

Call today for sizing help! PRICE \$5,349.99 \$6,149.99 \$8,219,99 Flue kit include

Shop Heaters

Value Package

Thru-Roof Chimney

150,000 BTU SKU 988908 LAN9963C MODEL MX150C

200,000 BTU SKU 988916 LAN9964C MODEL MX200C

250.000 BTU SKU 988923 LAN9965C MODEL MX250C

300.000 BTU SKU 988926 LAN9966C MODEL MX300C



Value Package

Thru-Wall Chimney

150,000 BTU SKU 988912 LAN9963D MODEL MX150D

250.000 BTU SKU 988924 LAN9965D MODEL MX250D

300,000 BTU SKU **988893** LAN9966D MODEL MX300



Free Delivery in 48 Continental United States Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.



Tool & Equipment Quarterly

Inverter Generators

73500i 30A Parallel Kit for Linking (2) Stackable Inverter **Generators 1600 to 2000 Watts**

SKU **757076** CHM73500I **5999**

- Parallel Kit for Linking Stackable Inverters
- RV Ready Equipped with a Standard 30A RV Outlet
- Toolless Installation Designed to Integrate Seamlessly Between Two Stacked Inverters
- Increased Output Enough Power to Start and Run a 15,000 BTU RV Air Conditioner
- Champion Support 1 Year Limited Warranty with Free Lifetime Technical Support

2000 Watt Stackable **Inverter Generator**

SKU **020739 59999** CHM73536I CHM73536I

- Run/Start Watts 1700/2000
- Clean Power (<3% THD) Clean Electricity for Powering Sensitive Electronics
- Operates at 53 dBA from 23 Feet
- Runs Up to 9.5 Hours on a Full Tank of Gas
- Parallel Capability Connect with Another Inverter for Increased Power
- Space Saving Stackable Design with Carrying Handles

CARB Compliant

CHAMPIUN

GENERAC

3100 Watt RV Ready **Portable Inverter Generator** SKU **757074** CHM75531I

- Quiet, Lightweight and Portable -Operates at 58 dBA and Weighs Less than 99 Lbs. with Wheel Kit
- 3100 Starting Watts, 2800 Running Watts with up to 8 Hours Runtime on a Full Tank of Gas
- RV Ready Outlets 120V 30A RV, (2)120V 20A Household, 12V DC Outlets
- with Free Lifetime Technical Support



GENERAC

CHAMPION

NEW · Champion Support - 3 Year Limited Warranty

CARB Compliant

Gas Powered Generators

6500 Watt **Portable Generator** SKU **020745** CHM100109 **72999**

- Run/Start Watts 6500/8125
- Volt Guard Protects Your Appliances from Power Surges
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals
- Runs Up to 11 Hours on a Full Tank of Gas
- GFCI Protected Outlets with Covers
- 120/240V Operation

CARB Compliant



GP3250 Portable Generator

SKU **973238** GENGP3250

- Rated Watts: 3,250
- Runtime at 1/2 Load: 9.7 Hours
- Outlets: (1) 120V 20A 5-20R Duplex Outlet; (1) 120/240V 20A L14-20R Twist-Lock Outlet
- Gas Tank: 3.5 Gallons
- Low Oil Level Shutdown Automatically Safeguards Engine

Not Available for Sale in California



CARB Models Available

GP15000 Gas Powered Portable Generator

SKU **568403 2,89999 2,89999**



- · OHVI Engine is Designed for Extended Runtimes for Use at Jobsites or for an Emergency Backup Power Source
- · Circuit Breaker Protected Outlets for Added Safety

7500 Watt Portable Electric

Not Available for Sale in California



Gas Powered Electric Start Generators

3500W with Wireless **Remote Electric Start**

SKU **775503 59999** CHM46539



• 4000 Starting Watts, 3500 Running Watts with up to 12 Hours Run Time on a Full Tank of Gas

- Powered by a Reliable 196cc Champion Engine with Wireless Remote Start, Up to 80 Ft. Away • Outlets: 120V 30A Locking, 120V 30A RV, 120V 20A Household Outlets all Secured by Volt Guard™—Protects Your Appliances from Power
- Champion Support 3 Year Limited Warranty with Free Lifetime Technical Support





CARB Compliant

GP6500E Gas Powered Portable Electric Start Generator SKU **568402**

GENGP6500E • Generac's 389 cc OHV Engine

- with Splash Lubrication Provides a Long Engine Life Low Oil Shutdown Automatically
- Safeguards Engine from Damage • Hour Meter Tracks
- Maintenance Intervals

Not Available for Sale in California





• Run/Start Watts 7500/9375

Start Generator

- Touch Start Battery Included for Push Button Electric Start • 25' Power Cord Included
- Volt Guard Protects Your Appliances from Power
- Surges Runs Up to 8 Hours on a Full Tank of Gas
- Intelli-Gauge to Monitor Power Output and Maintenance Intervals



CARB Compliant

GENERAC

9200 Watt Portable Electric **Start Generator**

SKU **020759** CHM100110

- Run/Start Watts 9200/11500 • 459cc - CARB Compliant for Use in
- All 50 States • Touch Start - Push-Button Electric Start and Battery Maintenance Smart Charger
- Equipped with a Standard 50A RV Outlet
- Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 10 Hours on a Full Tank of Gas • Intelli-Gauge to Monitor Power Output and Maintenance Intervals



12000 Watt Portable Generator with Electric Start

SKU **757111 2,449**99

- Touch Start Push-Button Electric Start (Battery Included)
- 15000 Starting Watts, 12000 Running Watts with up to 9 Hours Runtime on a Full Tank of Gas
- Powered by a Reliable 717cc Champion V-Twin Engine
- Durable Steel Frame with a Lift Hook for Safe and Easy Transport
- Covered Outlets 120/240V 50A, 120/240V 30A Locking, 120V 30A Locking, (4) 120V 20A GFCI Protected Household Outlets All Secured by Volt Guard™— Protecting Your Appliances from Power Surges
- Champion Support 3 Year Limited Warranty with Free Lifetime Technical Support



CARB Compliant



GP17500E Gas Powered Portable Electric Start Generator

SKU **626138** GENGP17500E **3,19** SKU **626138**

- 16 Gallon Fuel Tank Runs the Generator for Up to 10 Hours at Half Load
- 992 cc Engine Runs on Gasoline to Provide Dependable Power
- · Circuit Breaker Helps Protect the Generator and Connected Appliances from Damage



Not Available for Sale in California

Propane Powered Generators

20 Lb. Propane Tank

CARB Compliant

3800 Watt Dual Fuel Electric Start Generator SKU **020777**

- CHM76533
- Run/Start Watts 3800/4750 (Gasoline) • Runs on Gas or Propane Straight Out of the Box
- Touch Start Battery Included for Push-Button Electric Start
- Equipped with a Standard 30A RV Outlet • Volt Guard Protects Your Appliances from Power Surges • Runs Up to 9 Hours on a Full Tank of Gas or 10.5 Hours on a



CARB Compliant

5500W Dual Fuel RV Ready Portable Generator SKU **775501**

CHM100231 • Dual Fuel - Runs on Gas or Propane Straight Out of the Box

- 6900 Starting Watts, 5500 Running Watts with up to 9 Hours Run Time on a Full Tank of Gas and up to 10.5 Hours on a 20 Lb. Propane Tank
- Powered by a Reliable 224cc Champion Engine with Touch Start, Push-Button Electric Start (Battery Included) Outlets: 120V 30A RV, 120V 30A Locking, (2) 120V 20A Household Outlets all Secured by Volt Guard™—Protects Your Appliances
- Champion Support 3 Year Limited Warranty with Free Lifetime Technical Support



NEW

7500 Watt Dual Fuel Generator with Electric Start

SKU **020752** CHM100165



- Run/Start Watts 7500/9375 (Gasoline)
- Runs on Gas or Propane Straight Out of the Box
- Touch Start Battery Included for Push-Button Electric Start • Volt Guard Protects Your Appliances from Power Surges
- Runs Up to 8 Hours on a Full Tank of Gas or 5.5 Hours on a 20 Lb. Propane Tank • Intelli-Gauge to Monitor Power Output & Maintenance Intervals



CARB Compliant

CARB Compliant

SHOP EQUIPMENT

Pressure Washers

3,100 PSI **Residential CARB Compliant Pressure Washer** SKU **005720** GEN6923

 Powerful Generac Horizontal Shaft OHV Engines Feature Low Oil

- Shutdown, Engine Oil is Included • Easy Access Axial Cam Pump Means No More Kneeling on the Ground to Connect Hoses
- Ergonomic Generac Spray Guns with Soft Grip and Easy-to-Pull Trigger Reduces Fatigue
- 30' PVC Hose

CARB Compliant

Vacuums



GENERAC

3.800 PSI **Commercial Pressure Washer** SKU **570262 8 1 999** GEN6564

• Pro-Grade Triplex Pump Up to 4X Longer Life Than Axial Cam Pumps

- Powerful 302 cc Generac OHV Engine Delivers Maximum Cleaning Performance and Reliability Low Oil Shutdown Sensor
- Safeguards the Engine 3/8" x 35' Steel Reinforced
- Rubber Hose

These Units are Not for Sale in California. Call for Pricing on CARB Compliant Models



GENERAC

HSE 1500 PSI 2.0 GPM MTMHSE15020MM **2,79999**

• Features a Top-Fired Heat Exchanger and Totally Enclosed, Fan-Cooled Electric Motor

· Pump Features a High Pressure Detergent Injector • Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F

Hot Water Pressure Washers

- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8' Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
- 35 Foot Power Cord
- CSA Certified US and Canada



HSP 3500 PSI 3.3 GPM SKU **597220**

MTMHSP35043MH

- Burner Utilizes a Patented Electro Magnetic Firing (EMF) System, Eliminating the Need for a 12V Battery
- Pump Features a Low Pressure Detergent Injector • Temperature Rise: 150°F (66°C); Max Outlet Temperature: 200°F
- Unit Includes: (4) Quick Connect Nozzles, 50' x 3/8" Wire-Braided High Pressure Hose, Insulated Trigger Gun with Safety Lock and Adjustable Pressure Insulated Dual Lance
- CSA Certified US and Canada



OEM TOOLS

OEM TOOLS



4,200 PSI **Commercial Pressure Washer**

SKU **570263** GEN6565

- Powerful 420 cc Generac Horizontal Shaft Engine with Low Oil Shutdown
- Professional Grade Triplex Pump with Ceramic Coated Pistons, Designed for Long Life
- Pressure Control Valve Provides Complete Control of Water Pressure

• 3/8" x 50' Steel Reinforced Rubber Hose

These Units are Not for Sale in California, Call for Pricing on CARB Compliant Models

Available via Outside Buy/EPO, Call 1-87

🕃 Kubola

Kubota® 5 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO KUB54101

- This Stainless Steel Vacuum Comes Complete with All Accessories Needed to Get Your Next Household Job Done • Swiveling Casters Provide Ease of Movement in
- Any Direction
- Includes Accessories: 5 Ft. Flexible Hose, 3 Extension Wands, Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Non-Woven Reusable Dry Filter, Dust Bag



Kubota® 12 Gallon

Wet/Dry Vacuum

SKU **OUTSIDE BUY/EPO**

• Stainless Steel Tank

· Includes Accessories:

Brush with Switch,

Crevice Nozzle, Dry

Cartridge Filter

and Wet Sponge

7 Ft. Flexible Hose, Metal Extension Tube, Floor

• This Large 12 Gallon Stainless Steel

Push Vacuum Will Ensure All Your

Large Jobs Get Done on Time

KUB54103

Kubota® 8 Gallon Wet/Dry Vacuum SKU OUTSIDE BUY/EPO

KUB54102

- This 8 Gal Stainless Steel Vacuum is Perfect for the Garage, House or Office
- Lock-On Hose System
- Includes Accessories: 7 Ft. Flexible Hose, 2 Extensions Wands, Crevice Nozzle, Sofa / Seat Brush, Floor Brush with Switch, Wet Sponge Filter, Dry Cartridge Filter, Dust Bag

🕒 Kubaha



Kubota® 3 Pack

SKU OUTSIDE BUY/EPO

KUB54100

Kubota

Wet/Dry

499

Vacuum Filter Bags

• Multi-Fit Disposable Filter Bag

is Designed for Use with

🖲 Kubola

⊕ Kuboha.

Drill Presses

5 Speed Bench Drill Press

SKU **462480** 24825

- 1/2" Chuck Capacity
- 1/3 HP, 120V, 2.3 Amp
- 2" Stroke • 620 - 3,100 RPM
- 8" Swing
- 1/2" Max. Drilling Capacity
- Threaded Depth Lock; Screwdriver Handle
- 6-5/8" x 6-9/16" Table
- 11-5/8" x 7-1/3" Base
- 7" (W) x 16-15/16" (D) x 22-1/2" (H) Overal

Offer Good Through December 31, 2017 - While Supplies Last

16 Speed **15" Heavy Duty Floor Drill Press**

SKU **462481** 24826

- 5/8" Chuck Capacity
- 1 HP, 110VAC, 12 Amp
- 3-11/64" Stroke
- 240 3,200 RPM
- 15" Swing
- 3/4" Max. Drilling Capacity
- Threaded Depth Lock;
- Screwdriver Handle
- 12" x 12" Table
- 17-15/16" x 10-5/8" Base

- 15" (W) x 25-1/3" (D) x 63-1/3" (H) Overall

Offer Good Through December 31, 2017 - While Supplies Last

Exhaust Hoses

Kubota® 14.5 Gallon

SKU OUTSIDE BUY/EPO

Includes Accessories:

Hose, 2 Extra Wide Extension Tubes,

5 Ft. Extra Large

• Multi-Functional Large 14.5 Gallon Drum

with a Convenient Handheld Blower

with Wand to Perform Any Job

Leaf Blower

Wet Vacuum

KUB54104

• Poly Tank

Accessory

Adaptor, Wet

Floor Brush,

Crevice Tool

and Blower Tube



Flarelock Hoses

🕃 Kubola

- Made Exclusively for Cars and Small Trucks End is Flared to Permit Connection
- of Two or More Links at a Time

2.5" x 11' SKU **977557** ACSFLT250

3.5" x 11' SKU **977589** 3" x 11' SKU **977559** ACSFLT300

4" x 11' SKU 977590 23



SKU **977549** ACSYA250

a Single Hose to Vehicles with Dual **Exhaust Systems**



3" Y-Assembly Kit with F300 Adapter SKU **977550**

71099 ACSYA300

3" Adapter

SKU **977545**

ACSRA300

Crushproof 2.5" Service Station Kit SKU 977547 ACCDCC25 26999 ACSDSS25

Includes.

• (2) Each - 4' x 2-1/2" Hoses • (1) Each - 6' x 2-1/2" Hose

- (1) Each 2-1/2" Rubber "Y" Connector
- (2) Each Straight Tailpipe Adapter,
- Hook and Chain
- (1) Each Splice Connector



3" Service Station Kit

ACSDSS30

SKU 977548 31999



Crushproof Door Port for 2-1/2" Hose (Rubber) SKU 977551 3999 ACSDF25

• Rubber Garage Door Port Adapter

ACSFLT350

- Designed for 2-1/2" ID
- **Crushproof Bell**

Hose Adapters · Designed for Easy Adapting to All Sorts of Tailpipes · Connects with Ball and Snap



SKU **977544**

ACSRA250

for 3" Hose (Aluminum) SKU 977552 4999 ACSADF30 Aluminum Port Allows

Crushproof Door Port

Hose to Be Vented Through the Door



for 4" Hose (Aluminum) ACSADF40

Crushproof Door Port



Crushproof Straight Tailpipe Adapters with Hook and Chain

• Designed for Easy Adapting to All Sorts of Tailpipes

2.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977591 3" Straight Tailpipe Adapter with Hook and Chain......SKU 977539 3.5" Straight Tailpipe Adapter with Hook and Chain....SKU 977540 4" Straight Tailpipe Adapter with Hook and Chain......SKU 977541

3" x 6" Oval Tailpipe AdapterSKU **977542** 3.5" x 8.5" Oval Tailpipe AdapterSKU **977543**

ACSF575..... 6499

ACSF250..... 2999

ACSF300.....3999

ACSF350..... **5999**

ACSF400..... 7499

ACSF475..... 5499





Tool & Equipment Quarterly

Parts Washers

OEMTOOLS™ Parts Washers are a New Generation of Water-Based Parts Washers Providing All the Cleaning Power of Solvent While Using Cleaning Solutions That are Safe and Biodegradable.

Bench Top Gallon Parts Washer

SKU **300128 59** REG. \$69.99 24800

- Water-Based Parts Washer with 325 Gallon per Hour Electric Pump
- Steel Work Basin is 18"(L) x 13.5"(W) x 9"(H)

Replacement Washer Pump

SKU **462484** 24800-12

• Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based Parts Washer

20 Gallon Parts Washer

SKU 300117 17999

• Water-Based Parts Washer with

325 Gallon per Hour Electric Pump

Replacement Washer Pump

SKU 462484 **3999**

• Lid Includes Fusible Link for Fire Safety

• Fits OEMTOOLS™ 24800 and OEMTOOLS™ 24801 Water-Based

• Steel Work Basin is 31"(L) x 21"(W) x 34.5"(H)

24801



Offer Good Through December 31, 2017 - While Supplies Last

Mobile Parts Washer SKU **546660** 24804

- Solution Capacity (Gallons): Min. 2 - Max. 4
- Use with Water Works[™] Heavy-Duty Degreaser Concentrate
- Not for Petroleum Based Solvents
- Weight: 11 Lbs.
- Dimensions: 26"(L) x 18" (W) x 9.5"(H)

Lid has Positive Seal and Latches for Mobility



40 Gallon Parts Washer SKU 300118 🦪

- 24803 • Use with Non-Flammable, Water-Based
- Degreaser or Cleaning Agent Fully Flexible Nozzle and Fusible Link Which Automatically Closes the Lid in Case of Fire
- 44.75"(L) × 20.5"(W) × 35"(H)

Replacement Washer Pump SKU **462476 3999** 24803-31 24803-31

• Fits OEMTOOLS™ 24803 Water-Based Parts Washer

RS750 Truck Spray Wash Cabinet



Offer Good Through December 31, 2017 - While Supplies Last

// Ranger

Inside

Height

54"

RS500 Professional Spray Wash Cabinet

SKU **902189** RANRS500

• Inside Height: 43"

24800-12

Parts Washer

- Heavy-Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles
- Heavy-Duty Rubber Casters
- Stainless Oil Skimmer
- Removable Tank Screen

Atlasta™ Parts **Cleaning Brush** SKU **342339** PBC50003

• A Tough Brush That Will Last and Last

• Length: 9.75" (25 cm)



SKU 342336 2499

• Length: 10.25" (26 cm)

• Long Lasting, Stiff Trialoy® Polyester

Water-Based Cleaning Solutions

Filament Can Be Used with Either Petroleum or

LINCOLN

CLEANMASTER

PBC50001

? Ranger

SKU 902197 RANRS750 **5,399**99 • Inside Height: 54" Inside

- Heavy-Duty Steel Construction
- Removable Parts Tree
- Brass Nozzles Heavy-Duty Rubber Casters
- Stainless Oil Skimmer • Removable Tank Screen

EcoMaster Heated

Aqueous Portable

Brake Washer

• Heavy Duty Air Pump

• Heavy Duty Drum Dolly with Two Locking Casters and Two Regular

• Prefilter Screen and Asbestos Sock

Filter Designed to Ensure Clean

Heater: 1,000W - Thermostatically Controlled to Hold at 115° F

• Sink Dimensions: 24"(L) x 20"(W) x

Portable Parts Washer

EcoMaster Aqueous

SKU **479988**

F0U61840-02

Solution

SKU **479987**

F0U61444-02



Parts Brush Division



Brush with Hose



Air Operated Sprayer SKU **222507** LIN5983

• 1/4" NPT (F) Inlet

- Max. Operating Pressure: 150 PSI
- Can Be Used with Solvents or Detergent Solutions

16 Gallon Solvent Parts Washer FOU62125-01 **44999**

- Removable Screen Filter for Pump Protection
- Flow Through Brush with Adjustable Fluid Control
- Galvanized Drawn Sink Means No Leaks • Inside Sink Dimensions:
- 31"(L) x 21"(W) x 9"(D)

30 Gallon CleanMaster Solvent Parts Washer

SKU **479981** FOU54821-01 75



Includes Drum

12 Gallon CleanMaster Low-Profile Solvent Brake Parts Washer FOU57429-01 **74999**

• Flow-Through Brush System for

- Efficient Cleaning • Durable, Baked-On Powder Coated
- **Epoxy Finish** • Easy-Roll Swivel Casters (2 Locking)

Heavy Duty Degreaser

Concentrate



5 Gallons (1) 5 Gallon Container SKU **227558** WWSHD-5G **Designed to Effectively Replace Hazardous**



Solvent in Water-Based Parts Washers · Concentrated to Be Powerful and

to Save You Money • Quickly Removes Grease, Oil, Carbon and Grime While Safe for the Technician





Storm Ultra Spray Wash Solution

5 Gallons (1) 5 Gallon Container SKU **227559** WWSSU-5G

- Professional Wash Solution for Heated Spray Cabinet/Jet Cabinet Style Parts Washing Equipment • Super Concentrated for Cost Effectiveness

• Quickly Blasts Away Grease, Oil, Carbon and Grime



EcoMaster Heated Aqueous Parts Washer

F0U61330-02

- Capacity: 45 Gallons • Heater Thermostatically Controlled Preset to 110° F
- Filter System Prolongs Fluid Life





WATER WORKS





Offer Good Through December 31, 2017 - While Supplies Last

Vises

4-1/2" Light Duty Bench Vise with **Swivel Base** SKU **751645 34 79** REG. \$39.99

• Machined Replaceable Steel Jaws

- Machined Anvil, Permanent
- Pine Jaws • Full 360° Swivel Base
- Clamping Strength: 100 Lbs.

Offer Good Through December 31, 2017 - While Supplies Last



- Machined Replaceable Steel Jaws
- Machined Anvil, Permanent
- Full 360° Swivel Base • Clamping Strength: 200 Lbs.

Offer Good Through



December 31, 2017 - While Supplies Last

- **8499** REG. \$99.99 24218
- Machined Replaceable Steel Jaws • Machined Anvil, Permanent Pine Jaws
- Full 360° Swivel Base
- Clamping Strength: 300 Lbs.



OEM TOOLS

OEM TOOLS

OEM TOOLS

Offer Good Through December 31, 2017 - While Supplies Last

KNOWP

AutoZone® offers filter stocking programs which include oil, air, fuel, cabin air and transmission filters.

Contact Your AutoZone® Commercial Sales Manager for Details

Abrasive Blasting

Glass Bead Coarse Media, 25 Lbs. SKU **010136**




- Prevents Surface Rust
- Paint and Body Applications
- For Use with OEM 24815 Abrasive Blast Cabinet

SHA13078







- Fits on Bench or Cabinet
- Dimensions: 19.3"(H) x 19.3"
- Cubic Inches: 28.6"



OEM TOOLS

SHARK

SHOP EQUIPMENT

Welding/Cutting

MST 140i Welder

THE1444-0870 **749**99

• Includes: Firepower MST 140i Power Supply, Firepower 140 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and

Contact Tips, 15-20 Amps Power Adapter, Shoulder Strap and Language Instructional



<u>Firepower</u>

*TIG welding

Accessory Kit

requires purchase of THEW4013802

*TIG welding requires purchase of THEW4013802 Accessory Kit

MST 180i Welder SKU **688020** THE1444-0871

• Includes: Firepower MST 180i Power Supply, Firepower 180 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, Drive Roll and Contact

Tips, Standard 230V Shoulder Strap and Multi-Language Instructional CD

THERMAL DYNAMICS Plasma

Cutter CUTMASTER® 42 SKU **301766** THE1-4200

• Includes: CUTMASTER 42 Power Supply, All New SL40 Torch, Safety Gloves and Glasses, Instructional Plasma Cutting DVD. Consumables Set.





MST 140i Welder, MST 180i Welder or Plasma Cutter CUTMASTER 42

SKU 688017 | Part# THE1444-0870 or SKU **688020** | Part# THE1444-0871 or SKU 301766 | Part# THE1-4200

TIG® Torch and Accessories

SKU **295859** THEW4013802

(Required for TIG Welding)

- TIG Torch, 17V, 13', 8 Pin and Accessory Kit with 1/16", 3/32", 1/8" Thoriated
- Tungstens; 1/16", 3/32", 1/8" Collets; 1/16", 3/32", 1/8" Collet Bodies
- No. 5, 6, 7 Alumina Nozzle; Short Back Cap; Long Back Cap

IHERMAL DYNAMICS



250 Series OxyFuel Medium Duty Acetylene Outfit SKU **573205**

THE0384-2571

<u>Firepo</u>wer

- Cutting Torch and Handle are Ready for Multiple Gas Options: Oxy-Acetylene, Propane, Butane, Natural and LP Gases, & Propane
- Welds Up to 1/2" Steel
- High Capacity: Cut 1/8" (3.2 mm) to 5" (127 mm)
- Simple to Use High Contrast Gauges
- Ergonomic Color Coded Knobs (Acetylene and Oxygen)
- Includes Handle, Cutting Attachment, Gauges, Welding Nozzle Cutting Tip, Eye Protection and Striker



FP-95 Flux Cored Welding System

SKU **237664** THE1444-0322

- Portable FP-95 MIG/Flux-Cored Wire Welder
- Operates from Standard Household Outlet and Delivers
- Includes Tweco® Gun, Return Cable and Clamp, and .035" Spool of Flux-Cored Wire
- Easy to Use Key Setup Chart
- · Gas Solenoid Not Included

<u>Firepower</u>



MST 220i Welder

SKU **687990** THE1444-0872

- Includes: Firepower MST 200i Power Supply, Firepower 220 Amp MIG Gun, Firepower Argon/CO² Pressure Regulator/Gauge and Hose, Electrode Holder and Ground Clamp, 230V-115V Adapter Plug and Cable, Drive Roll and Contact Tips and CD with Multi-Language Operating Instructions
- Up to \$500 in Free Goods Available Visit www.firepoweronline.com/promotions



OEM TOOLS

Auto Darkening Welding Helmet SKU **362974**

- TIG Rated Variable Shade 9-13
- Viewing Area: 3.54" x 1.37"
- Battery Powered with Solar Assist
- Includes Replacement Cover Lenses



OEM TOOLS

Auto Darkening Welding Helmet with Grinding Function SKU **347233**

S REG. \$79.99

- Variable Shade 9-13, Variable Sensitivity and Delay Controls
- Viewing Area: 3.62" x 1.65"
- Battery Powered with Solar Assist • Includes Replacement Cover Lenses CE, ANSI Z87.1



<u>Firepower</u>

Stars and Stripes Darkening Welding Helmet

THE1441-0087 **9999**

- Variable Shade Adjustable Welding Shade Levels from 9 to 13
- "Welding" or "Grinding" Selection for Process Mode
- Solar-Powered So You Don't Have to Worry About Changing Batteries - Ever



<u>Firepower</u>

160 Amp **MIG Spool Gun** SKU **434724** THE1444-0894

- Interfaces with Firepower MST 180i and 220i 3-in-1 Welders
- Rated 20% Duty Cycle and 160 Amps
- Includes Carrying Case



Pro-Tack

Plastic Welder SKU **255799** SHA17030

SHARK

• Eco-Friendly Plastic Welder That is Great for Repairing

- Virtually Anything Made of Plastic • Capable of Ironing Plastic
- to a Smooth Finish • LED Read Out
- Rated to a Maximum of 65 Amps and Has 4 Power Settings
- Kit Includes: (4) Staple Styles, (2) Ironing Blades, Plastic Box for Staples and Plastic Storage Case



Core-Cut Staples (100 Pack)

Sm. Wave



Flat Square SKU **255808** SHA17031 Outside Corner/ SKU **255809** SHA17032

Outside Corner/ SKU **255820** SHA17033 No Wave **Inside Corner/** SKU **255839** SHA17034

Sm. Wave SKU **255843** SHA17035 **Inside Corner/** No Wave

Flat Small Wave SKU **255845** SHA17036 Flat "S" Type SKU **255851** SHA17037

RV Ready

3500 Watt Portable Generator


SKU **020730** CHM46596

- Run/Start Watts 3500/4000
- 196cc Champion OHV Engine
- Fuel Tank 3.8 Gallon • RV Ready - Equipped with a Standard
- Volt Guard[™] Protects Your Appliances from Power Surges
- Runs Up to 12 Hours on a Full Tank of Gas

30A RV Outlet

- Durable Steel Frame
- Voltmeter Displays Power Output • 49 State EPA Compliant














Dual Fuel

7500 Watt Dual Fuel **Generator with Electric** Start






- Run/Start Watts 7500/9375 (Gasoline*) • 439cc Champion OHV Engine
- Runs on GASOLINE or PROPANE Straight Out of the Box
- Gasoline Fuel Tank 6.1 Gallon • Touch Start - Battery Included for
- Push-Button Electric Start • Volt Guard Protects Your Appliances from Power Surges • Runs Up to 8 Hours on a Full Tank
- of Gasoline or 5.5 Hours on a 20 Lbs. Propane Tank Intelligauge to Monitor Power Output and Maintenance Intervals
- 50 State CARB Compliant











CARB Compliant



Tool & Equipment Quarterly

Welding Accessories

WIRE

MIG Solid Wire E70S6023 - 2 Lbs.	SKU 459160	SHA12000	1644
MIG Solid Wire E70S6023 - 11 Lbs.	SKU 459162	SHA12001	3499
MIG Solid Wire E70S6030 - 11 Lbs.	SKU 459164	SHA12003	29 99
MIG Solid Wire E70S6035 - 33 Lbs.	SKU 459173	SHA12007	64 99
Flux Core Welding Wire030 - 2 Lbs.	SKU 459175	SHA12008	29 99
Flux Core Welding Wire035 - 2 Lbs.	SKU 459180	SHA12009	2499



TTDG (25 DACK)

Lincoln MIG Contact .030 Tips	SKU 343402	SHA12874	24 99
Lincoln MIG Contact .035 Tips	SKU 343403	SHA12875	24 99
Miller MIG Contact .030 Tips	SKU 343404	SHA12877	24 99
Benzel and Tweco MIG Contact .023 Tips	SKU 343399	SHA12937	19 99
Benzel and Tweco MIG Contact .030 Tips	SKU 343401	SHA12938	24 99

SKU **988902**

SKU **988904**



ELECTRODES

E6011 1/8"	Electrode	5	Lbs.
E7018 1/8"	Electrode	5	Lbs.

250 Piece Welding Stud Assortment SKU **271198** 68130

- 250 Piece, 2" x 3/40" Size
- Use with Stud Welder or Stud Gun
- Copper Coated Steel Construction





THE14400106 **1999**

THE14400186 **1999**

IHERMAL DYNAMICS Leather **Welder's Gloves**



Heat-Shrink Tube Sets

171 Piece Heat-Shrink Tube Set SKU **420335**

68165

- Protection and Insulation of Components and Wires • Protection Against Water and Moisture Ingress
- Preventing Corrosion
- Color Coordinated Sizes
- Quick and Simple to Shrink By Heat Gun



106 Piece Waterproof Heat Shrink Tube Set

SKU **420334 7099** 68164

- Tubes Shrink to Fit Over Cable Splices and Can Be Used for Wire Harnessing, Covering, Marking and Bundling of Wires
- Adhesive Lined Inner Wall to Seal Out Moisture
- 3:1 Shrink Ratio
- Waterproof



90 Piece Waterproof Heat Shrink Terminal Set SKU 462482 **7999**

68166

- (30) Ring Connectors
- (15) Butt Connectors • (15) Tin Butt Connectors
- (15) Female Disconnects
- (15) Male Disconnects
- Re-Sealable Plastic Case



Tubing Benders

Blue Bullet Tuhing Bender SKU **015350** BENBB1

• Leg Operated Control Lever at Front Keeps Hands Free

- Two Separate End Finishing Units at Rear for All Necessary Flaring and Expanding
- Degree Plate Located Up Front for Easy Viewing
- Comes Complete with Quick Release Bending and End Finishing Dies
- Includes High-Speed Clampless Swager and Internal Expander
- 3" Bending Capacity (Dies Optional)

Lift Gate Service:

SKU **262533** RANLIFTGATE



• 10,000 Bending Applications

- Includes: Rotation Dial for Standard and "Mirror Image"Bending

Please note that the CS-1 Card System does not ship with the Benders and must be purchased separately.





Free Delivery in 48 Continental United States Leasing Terms Available. Ask Your AutoZone® Commercial Sales Manager.

3" Die Kit (Optional) SKU **095070 QQQ9**9 BEN300-1



Soldering

Mechanic's Mini Torch

SKU **804655** 24353

- Designed for Light Welding, Auto Repair and Heating Material in Confined Spaces
- Adjustable Flame Lights Upside Down
- Auto Ignition, Refillable
- Safety Lock When Not in Use
- Butane Not Included

Mechanic's Torch

SKU **802236 9499** 24354

- Designed for Auto Repair, DIY Household Repair and Professional Soldering, Micro Welding and Brazing
- Heavy Duty Piezo Ignition with Strong Flame
- CPSC Approved and Child Restraint Safety Latch
- Butane Not Included



OEM TOOLS

OEM TOOLS

Professional 3-in-1 Butane Micro Torch Kit

SKU **420339** REG. \$39.99

- 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower without Iron Tip
- Easy to Set on Table Top with the Base After Operation
- Micro Torch Kit Includes: Torch, Metal Tip Wicking Cup with Sponge, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/Soldering Tip and Base
- Ideal for Use with Electrical Repair, Tin and Plastic Melting, Heat-Shrinkable Tubing, Auto Repair, Hobby Repair and Jewelry Repair
- Power Range: 30w 125w

Offer Good Through

December 31, 2017 - While Supplies Last



• 3-in-1 Design Can Be Used as a Soldering Iron, Torch or Hot Air Blower Soldering Iron Kit Includes: Soldering Iron, Metal Tip Wicking Cup with Sponge, Solder Wire, Protective Tip Cap, Heat-Shrink Deflector, Chisel Point Tip, Anvil Solder Tip, Needle Tip and Hot Air/

Offer Good Through December 31, 2017 - While Supplies Last



GE 115V / 230V



SKU **554022 59999**

Conductive Materials

Power Adapter

SKU **102313**

41199

180 AMP DUAL PROCESS MIG/FLUX/ARC WELDER SKU **554014**

- Welds 24 Gauge Up to 5/16" Mild Steel in a Single Pass • Flux-Cored (No Gas): Tackles the Biggest Jobs
- MIG (Requires Shielding Gas): Weld Up to 5/16" Mild or
- DC Stick: Handles Up to 5/32" Stick Electrodes
- Includes: 10 Ft. MIG Torch with .030 Tip, 10 Ft. ARC Lead, 10 Ft. Work Cable with Clamp, 115 /230 V Power Adapter and Argon Flow Meter/Regulator



• Rated 1/4" Clean Cut on Mild Steel with 1/2" Rough Sever

· Cuts Mild Steel, Stainless, Brass, Aluminum and Other

• Includes: 10 Ft. Work Cable with Clamp and 115 / 230v

Extra Large Viewing Area: 3.86" X 2.17"





- Automatically Darkens in 1/30,000 of a Second
- Ultra High Performance Filters Protects Against
- UV and IR Variable Shades from DIN 9 to DIN 13 Outside Sensitivity Adjustments Provide Clear
- Vision Both Prior and During Welding • Durable, Light Weight Material is Corrosion
- Resistant and Flame Retardant • Special Turnover Headband Mechanism Allows
- for Greater Comfort and Reduces Fatigue • Utilizes High Performance Solar Cells W/2 Built-In 3V Lithium Batteries as Power Back-Up
- Complies with DIN, ISO, EN Safety Standards and ANSI Z87.1-2003 Standards