

Ranger

Complete Tire and Wheel Service

Dannmar® T-100 Tire Changer and **B-100 Wheel Balancer Combo**

DAN1381801 **2,709**99

• Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer • Ideal for Gas Stations, Small Garages and Auto Salvage Yards

- T-100 Outside Clamp: 12" 22"
- B-100 Max. Rim Diameter: 28'
- B-100 Includes Data Acquisition

Wand and Quick Nut **Lift Gate Service** SKU **262534** DANLIFTGATE 100

The T-100 B-100 **Combo Provides Great Value and More Bang for**

Your Buck!

DAN1381201



DAN1381801	T-100 Tire Changer and B-200 Wheel Balan	cer Combo
DAN1381202	Dannmar T-100 Tire Changer	\$1,599.99
DAN1381201	Dannmar B-100 Digital Balancer	\$1,449.99
	Regular Price	\$3,049.98
DAN1381801	COMBO PRICE	\$2,709.99
	SAVINGS	\$339.99

Warranty: 1 Year Parts Only User Set-Up Required

Price Does Not Include Tires or Rims as Shown

BASELINE

Ranger® Tire **Service Package**

SKU **851131** RANCOMB01

- Includes: R980XR NEXTGEN™ Swing-Arm
- 25" Tire Changer and the DST-2420 Dynamic Wheel Balancer
- R980XR External Rim Clamping Capacity: 9" 28"
- DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce
- Dual Position RimGuard™ Wheel Clamps

Lift Gate Service

SKU **262533** RANLIFTGATE

Wheel Weight Starter Kit #5150235, 100 and 100 Piece **74³⁸ Value**

RANCOMBO1

RANDST2420 DST-2420 Tire Balancer



\$1,729,99



HOFMANN

RANR980XR

User Set-Up Required

NEXTGEN 23" Tire Changer RANR980XR \$2,249,99 Regular Price \$3,979.98 RANCOMBO1 COMBO PRICE

Ranger® Tire Service Package

Price Does Not Include Tires or Rims as Shown

Baseline™ BL300 **Tire Changer and 350 Balancer Combo**

SKU **435488**

AMM8500300350 • Includes: BL300 Tire Changer and

- 350 Balancer • External Clamping Capacity: 10 - 24"
- Bead Sealing Jets to Aid Inflation
- 350 Balancer Features Self Diagnosis and Calibration
- One Button Split and Hidden Weight Program

Lift Gate Service

AMMLIFTGATE **55**00

INCLUDES:

AMM85002300



AMM8500300350	Baseline™ BL300 Tire Changer and 350 Bala	ncer Combo
AMM85002300	BL300 Tire Changer	\$2,099.99
AMM85002350	BL350 Wheel Balancer	\$2,099.99
	Regular Price	\$4,199.98
AMM8500300350	COMBO PRICE	\$3,999.99
	SAVINGS	\$199.99

\$3,999.99	
\$199.99	Warranty: 1 Year Parts

geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

SKU **339014** HOFCOMBO1TS **4,389**95

 Save with This Great General Service Tire Service Combo

• Includes monty 1270 Tire Changer with Outer Clamping up to 20" and the geodyna 7100 Wheel Balancer with Belt-Driven One-Spin Balance and Intuitive Control Panel

Lift Gate Service HOFLIFTGATE 9500

HOFEEWB761AE1

HOFEEWH764AU1 monty 1270 Tire Changer

HOFCOMBO1TS COMBO PRICE

HOFEEWB761AE1 geodyna 7100 Wheel Balancer

Regular Price



\$3,469,99

\$3,469,99

\$6,939.98

\$4,389,99



Warranty: 90 Days Parts and Labor User Set-Up Required Price Does Not Include Tires or Rims as Shown

CEMB EZ9 Balancer and SM825 Tire Changer Combo

SKU OUTSIDE BUY/EPO CMBCOMB01

- Includes: EZ9 Balancer and SM825 Tire Changer • Tire Changer Clamping Range of 13"-26"
- Dual Clamping Cylinders
- Semi-Automatic Swing Arm
- Adjustable Bead Breaker
- Balancer Features Automatic Distance and Diameter Entry
- Direct Weight Location
- Foot Pedal Brake for Easy Weight Placement

Lift Gate Service

SKU **765535** CMBLIFTGATE

INCLUDES:



		CI	VI
CMBCOMB01	CEMB EZ9 Balancer and SM825 Tire Changer Combo		
CMBEZ9	CEMB EZ9 Wheel Balancer	\$2,899.99	
CMBSM825	CEMB SM825 Tire Changer	\$2,999.99	
	Regular Price	\$5,899.98	
CMBCOMB01	COMBO PRICE	\$5,699.99	
	SAVINGS	\$199.99	

Warranty: 1 Year Parts/Labor Price Does Not Include Tires or Rims as Shown

Available via Outside Buy/EPO.

Coats® RC-55E and 1300 Series **Tire Service Combo**

SKU **597289**

AMMCOMB02

• RC-55E Features an External Clamping Range from 6" to 24" (Max Tire Diameter 50"; Max Rim Width 10-1/2")

• RC-55E Drive System: 1 HP Electric Motor • Tire Changer Allows Inflation from 0 to 60 PSI with a Built-in

Pressure Limiter • 1300 Series Wheel Balancer is Powered by Direct Drive

• Static-On-Screen® Display Identifies Any Excess Residual

Static Imbalance Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

Lift Gate Service

SKU **262529** AMMLIFTGATE

/lanufacturer's Set-Up

AMM80013002D Coats® RC-55E and 1300 Series Tire Service Combo AMM8560995001 RC-55E Tire Changer \$5,719.99 AMM80013002D 1300 2D Wheel Balancer \$4,279.99 Regular Price \$9,999.98 AMMCOMBO2 COMBO PRICE



AMM8560995001

Price Does Not Include Tires or Rims as Shown

AMMCOMB02

877-AZTOOL1 / 877-298-6651 Hablamos Español

AZtool1.com

CEMB Tire Changers

SM825 Semi **Automatic Tire Changer with Swing Arm** SKU **757052**

CMBSM825 • Clamping Range: 13" - 26"

- · Air Tank in Tower
- Dual Clamping Cylinders
- Semi-Automatic Swing Arm • Inflators on Each Clamp
- · Adjustable Bead Breaker



SM915ATIPA Swing Arm Tire Changer with Table **Top Inflators and Press Arm**

CMBSM915ATIPA **7,149**⁹⁹ SKU **221524**

- Suitable for Car and Light Commercial Wheels
- Clamping Range: 10" 28"
- Air Tank in Tower
- Dual Clamping Cylinders
- Semi-Automatic Swing Arm
- Inserts Protect Aluminum Wheels • Inflators on Each Clamp
- · Adjustable Bead Breaker
- Press Arm and Bead Pressing Tool

High Volume Tire Shops

INCLUDES:

Warranty: 1 Year Parts/Labor

Lift Gate Service

SKU 765535 | CMBLIFTGATE

SM951HPA Smart Blade Professional Tire Changer 9,89999

SKU OUTSIDE BUY/EPO CMBSM951HPA

- Dual Clamping Cylinders
- Adjustable Table with Inflators on Each Clamp
- Double Effect Bead Breaker
- Bead Breaker Shovel with Power-Out System • Clamping Range: 10" - 28"
- Fully Adjustable Bead Breaker with Smart Blade System
- · Help Arm and Press Arm (One on Each Side)



et-Up and Training

Warranty: 1 Year Parts/Labor Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions



Coats Tire Changers

RC-45E Rim Clamp® Tire Changer

SKU **688225** (Electric) **4,3**

- External Rim Clamping Range: 6" 24"
- Maximum Rim Width: 10.5"
- Maximum Tire Diameter: 50"
- Includes Bead Sealing Jet to Aid Inflation

RC-55E Rim Clamp® **Tire Changer**

SKU **688223**

AMM8560995001 **5,719**

- Robo-Arm® Power Assist for Low-Profile and Run-Flat Tires
- External Rim Clamping Range from 6" - 24" Diameter
- Maximum Rim Width 10.5"
- Maximum Tire
- Electric Turntable



Price Does Not Include Tires or Rims as Shown

60X Rim Clamp® Tire Changer

SKU **298103**

AMM80060XEH1 **7,209**⁹⁹

- Rim Diameter: 6 24" External
- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener Single Point
- Sealer



Price Does Not Include Tires or Rims as Shown

Lift Gate Service SKU 262529 | AMMLIFTGATE

70X, Electric, Hand, **Premium Accessory Kit**

AMM80070XEH3 **8,499**⁹⁹ SKU **979908**

• Rim Diameter: 6 - 24" External

- Patented Robo-Arm®
- Helper Device
- Hand Activated Bead Loosener · Single Point Sealer



Adjustable Clamps SKU **012699**

AMM85607986

- 16" 28" External Clamping • Updated Jaw Profile Accommodates Newer Rim Flange Profiles
- · Wider Grip Contact Area and New Material Further Reduce Slip on Polished



COALS

NCLUDES: lanufacturer's Set-Up

🍞 Ranger.

Ranger Tire Changers

R76LT Tilt-Back Tire Changer

SKU **544546**

RANR76LT 4 • Drive System Type: Electric / Air

- Motor: 2 HP (110/220VAC 50 60
- Air Requirement: 110 175 PSI / 8 12 Bar
- Wheel Clamping Method:
 4 Internal / External Clamps



R980XR NextGen™ Swing-Arm Tire Changer

SKU **312817** RANR980XR

- Drive System Type: Electric / Air
- Motor: 2 HP (110/208 240VAC 50-60 Hz) Adjustable RimGuard™ Wheel Clamps
- Internal Rim Clamping Capacity: 10" 30
- External Rim Clamping Capacity: 9" 28" Bead Seating System: Turbo Blast /

Bead Seating • Dual Position Wheel Clamps



User Set-Up Required

R980AT RimGuard™ Swing-Arm and Assist Tower Tire Changer

SKU **544537**

RANR980AT 3,24

- Motor: 2 HP (110/208-240V 50-60 HZ)
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30





- Motor: 2 HP (110/220VAC 50-60 Hz)
- Alloy and Nylon Mount and Demount Heads
- External Rim Clamping Capacity: 9" 28'
- Internal Rim Clamping Capacity: 10" 30" • Maximum Tire





Lift Gate Service

SKU 262533 | RANLIFTGATE

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available.† Ask Your AutoZone® Commercial Sales Manager

SERVICE

FOR DETAILS

HOFMANN

Hofmann Tire Changers

monty® 1575 Tire Changer SKU **849298** HOFMONTY1575B

· Ideal for Shops Looking for Great Value without Sacrificing Productivity

- Powerful Two-Stage Bead Breaker
- Dual Pneumatic Clamping Cylinders Control All Four Clamping Jaws, Eliminating Damage to Wheels Due to Slippage

Self Centering Four-jaw
Clamping Chuck Clamps Wheels
with Either a 26" Inner or
24" Outer Diameter



INCLUDES: In-Site Factory Authorized Train

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

monty® 1625 Tire Changer SKU **849300** SKU **849300 HOFMONTY1625B 5,839 99**

- Self Centering Clamping Chuck Clamps Wheels with Either 26" Inner or 24" Outer Diameter
- Dual Pneumatic Clamping Cylinders Control All Four Clamping Jaws, Eliminating Wheel Damage Due to Slippage




Site Factory Authorized Trainin

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

M1625EM110 monty® Tire **Changer with Bead Assist**

SKU **467483** H0FM1625EM110 **7,289** 99

- Designed for High Volume Tire Shops, Multi Bay Repair Shops and Dealerships
- Services Standard, Low Profile and Run Flat



INCLUDES:

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

Site Factory Authorized Trainin

monty® 8100s smartSpeed **Tire Changer**

SKU **306276** HOFEEWH768AC





- Designed for Easy Use with Minimal Training of Technicians
- Integrated Bead Pusher Assists in the Mount/Demount Process of the Upper Bead
- Swing Arm Style Mount/Demount
- Integrated Wheel Lift



INCLUDES: Site Factory Authorized Trainir

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions Price Does Not Include Tires or Rims as Shown

Lift Gate Service

SKU **290017 | HOFLIFTGATE**

Mount/Demount Heads Fits On Models Fits On Models TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp Coats (Require Adapter) 220A, All Other Models All MIIII Clamp Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620 and 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft and Kit RP11-8-114-00091) M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436 and S436TOP **Red Nylon Mount/** Accuturn Corahi Coats Nylon Mount/Demount Head - Tapered Hole Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, **Demount Head** Giuliano Ranger Hofmann SKU **459185** RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 SKU **459189** Hunter TMRTCR343 TMRTC450310 Sice **Coats Nylon Mount/** $5030,\,5035,\,5040,\,5045,\,5050,\,5060,\,5065,\,6050,\,6060,\,7050,\,7055,\,7060,\,7065,\,7655,\,7660$ and 7665 BL200, BL300, BL400 and BL500 Coats **Demount Head - Tapered Hole** 3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP SKU **459183** Baseline **Coats Nylon Mount/Demount** Accuturn TMRTC183061 **Head - Tapered Hole** SKU **459174** EHP System IVE, IV, III, IIE Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Series, 5060 Series, 5065 Series, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, 7650, 7660, 7665, 7660, 7665 TMRTC20024335 Snap On All Models **Low Profile Mount/Demount Head** Coats SKU **557259 Nylon Mount/Demount Head** 3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP Accuturn TMRTC184432 BL200, BL300, BL400, and BL500 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE **Kit with Round Hole** SKU **459195 Tool Head for Hunter** John Bean TMRTC14024784 Hunter TCA34 with Serial Numbers Snap On SKU **557241** 664 and Above TMRTC14120 All Tool All Models **Nylon Mount/Demount Head** RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 **Mounting Flange for Demount** Coats **Kit with Round Hole** All Rim Clamp Earlier Models Except 1550, 1620 and 1625 Head (Flange Only)* Corghi SKU **459187** Hofmann Ranger All models SKU **899502** M39, S40, S42, S43, S45, S408MAXI, S435, S436 and TMRTC250309 RAN5150524

Lug Nut Sockets

Lug Nut Flip Sockets Two Hex Sizes in One Socket

SKU # **663554** A168

• 19mm x 21mm SKU # **193837**

• 22mm x 24mm

SKU # 193854 • 18.5mm x 19.5mm

SKU # **193858** • 22mm x 22.5mm



Tire Spreader

OEM TOOLS

Tilting Swivel Top Manual Tire Spreader

SKU **804480** 26679

- 5 Position Locking Swivel Top
- Foot Operated Tilting Mechanism Adjustable Tire Spreaders
- Works With Most Passenger Car and Light Truck Tires



Branick

5025 Tire Spreader

SKU **757051** BRA00-0161

- Self-Locking Spread Arms
- 4 Horizontal and 2 Verticle Adjustments
- Handles Any Passenger Tire, Including Low Profiles
- Quick Pin Adjustment with Lanyard



Tire Inspection Tool that Connects to Point of Sale!



877-AZTOOL1 / 877-298-6651 Hablamos Español

AZtool1.com

Wheel Balancers

EZ9 Digital Automatic Wheel Balancer SKU **221532**

CMBEZ9

- Space Saving Motorized Wheel Balancer
- For Cars and Light Trucks, Motorcycle and Scooter Wheels (with Optional Accessories)
- Automatic Distance and Diameter Entry (2D)
- Direct Weight Location Program (No Repositioning of Stick-On Weight)
- Multi-Function Display · Split Program to Hide the
- Counterweight Behind the Spokes
- Foot Pedal Brake for Easy Weight Placement
- Splash Guard
- Warranty: 1 Year Parts/Labor

Set-Up & Training Included Price Does Not Include Tires or Rims as Shown

ER72 Professional Wheel Balancer

SKU **762510** CMBER72

- Touch Screen Professional Wheel Balancer
- Designed for Tire Dealers . Standard Locking with Quick-Nut
- Automatic Distance and Diameter Entry
- Fully Automatic Spotter Laser System
- Electromagnetic Brake Holds the Wheel in Position
- · Automatic Arm to Measure Diameters up to 30"
- LED to Illuminate the Workspace Inside the Rim

Warranty: 1 Year Parts/Labor Set-Up & Training Included Price Does Not Include Tires or Rims as Shown



Clamping Diagnostic Wheel Balancer SKU **OUTSIDE BUY/EPO** CMBER75MC

- The Fastest, Easiest To Use And Best Performing RFV Balancer At A Fraction Of The Cost Of Other RFV Balancers
- Manual Locking
- Measures Wheel Balance And RFV In 6 Seconds

ER75MC HubMatch™ Manual

- Direct Measure Automatic 3D Data Entry, 3D Laser Wheel Scanning And Laser Point BDC Weight Placement
- Hubmatch™ Balancing Clocks The RFV High Point Of The Assembly To The Vehicle Hub Before Mounting. Virtually Eliminates Match Mounting On Today's Improved-Quality Tires And Wheels

ER75 Video Diagnostic Wheel Balancer

SKU **765534** CMBER75

Warranty: 1 Year Parts/Labor, Set-Up & Training Included Price Does Not Include Tires or Rims as Shown Available via Outside Buy/EPO,

Call 1-877-298-6651 for Ordering Instructions



Digital Wheel Balancer SKU **977528**

RANDST2420

- Motor: 3/4 HP, 110V/220V, 50/60 Hz, 1 Phase
- Balancing Modes: Dynamic/Static/ 3 Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max. Tire Diameter: 47" (1,194 mm)
- Max. Tire Weight: 145 Lbs. Balancing Speed: 180 RPM
- Balance Increments: 0.25 or
- 0.01 Oz. • Accuracy: +/- 1 Gram/.035 Oz.

Price Does Not Include Tires or Rims as Shown



Ranger.

DST-30P Direct Drive Wheel Balancer Ranger

Lift Gate Service SKU **765535 | CMBLIFTGATE**

RANDST-30P

- Ergonomic Control Board and Easy-to-Read LED Display
- · Dynamic, Static, and Performance Alloy Settings
- · Automatic Rolling Wheel Parameter Setting
- Low RPM Balancing Speed
- · Automatic Braking
- Self-Calibration Function
- · Quick-Release Hub Nut For
- Dramatically Reduced Set-Up Times
- Wheel Width Capacity: 1.2" 20" • Max. Wheel Diameter: 8" - 30"

Price Does Not Include Tires or Rims as Shown



Digital Wheel Balancer

SKU **343398** SKU **343398 2,569 99 RANDST-64T** · Ergonomic Control Board with

- Soft Touch Keys and Easy-to-Read LED Motor: 1.5 HP, 208 - 230V, 50/60 Hz,
- Maximum Tire Diameter: 50"
- Maximum Tire Weight: 150 Lbs.
- Cycle Time: 6 12 Seconds (Avg.) Depending on Wheel
- Precision-Machined, Hardened-Steel 36 mm Shaft



Ranger

Price Does Not Include Tires or Rims as Shown

DON'T FORGET THIS ACCESSORY • Works with Ranger Wheel Balancers Listed on This Page

1500A 3D Wheel Balancer

Lift Gate Service SKU 262533 | RANLIFTGATE



SKU 902536 RANRWS-1TC-1 249 99

Truck Cone Kit

1300 2D Wheel Balancer

SKU **592250**

AMM80013002D

- Auto Distance and Diameter Data Entry • Behind the Spoke Mode
- 40 mm Shaft Diameter
- Maximum Tire Diameter: 44" • 220V, 1 Phase

Price Does Not Include Tires or

Wheel Balancer

HOFEEWB746AS

• Small Footprint Complimented

Provides High-End Features

Factory Authorized Training

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor

Price Does Not Include Tires or Rims as Shown

13438 Value

In A Compact Design

. In Under 10 Seconds,

the Color Display Shows the Location

of Any Imbalance

Split Weight Mode

Hides Adhesive

Weights Behind

Adjacent

Spokes

SKU **306300**



AMM80015003D

- Powered by Direct Drive
- Includes Premium Quicknut
- Automatic 3-D Data Entry Basic Adapter Kit Included
- · Collet Adapters

SKU **339012**



Price Does Not Include Tires or



· Automatic 3-D Data Entry . Basic Adapter Kit Included

SKU OUTSIDE BUY/EPO

• Powered by Direct Drive

ProBalance Technology^T

AMM80016003D

· Premium Quicknut

Stop, Lock and Index

• 8 Balancing Modes

Manufacturer's Set-Up Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions

Price Does Not Include Tires or Rims as Shown



40 mm Light Truck Cone **299**99

HOFMANN 5

Lift Gate Service SKU 262529 | AMMLIFTGATE

L SKU 818762 AMM85610104

Adjustable Pin Plate Set 🛉

DON'T FORGET THESE ACCESSORIES

• Works with Coats Wheel Balancers Listed on This Page



geodyna® 7400L

Wheel Balancing

System SKU **850652**

HOFEEWB764AL **4,799**99



- Fast Data Entry
- User-Friendly Interface Where All Functions are Clearly Marked With Picture Icons



Factory Authorized Training

13438 Value

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

geodyna™ **7340P** Wheel Balancer

SKU **202347**

HOFEEWB774APE **5,995**99 • Easy-to-Operate, Intuitive Geotouch Technology

HOFMANN M

is Built into the Weight Tray and Provides ar **Ergonomic Solution** Smart Sonar[™] Delivers

Automatic, Non-Contact Rim Width Acquisition Patented Power Clamp Electromechanically Clamps the

Wheel Accurately with



13438 Value

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

geodyna® 7600P with Laser and Power Clamp

HOFEEWB765AP **6,639**99 Electromechanical Power Clamp

SKU **212844 AMM8113277C**

Clamps Wheel Accurately with Constant Force Smart Sonar[™] Delivers

Automatic, Non-Contact Rim Width Acquisition • Split Weight Mode, Allows Exact Placement of Weights Behind

Spokes



4 Piece Cone Kit #H0FEAK0309J28A **134**38 Value Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor

Price Does Not Include Tires or Rims as Shown

Lift Gate Service SKU 290017 | HOFLIFTGATE

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.



FOR DETAILS

TPMS Tools



TPMS Service Tool with Tread Depth Gauge

SKU **544586** ATEVT56

- 98% Coverage on Vehicles Equipped with TPMS
- Selects MMY via VIN Scan
- Comprehensive MMY Specific Re-Learn Procedures
- Programs and Decodes Programmable and Universal TPMS Sensors
- Built-in Training Procedures
- Includes 3 Year Free Updates

FUNCTIONALITY	VT56	VT36
Reads/activates 100% OEM sensors, displays all sensor data	✓	✓
Programs aftermarket sensors (including EZ sensor and all major brands)	V	V
VIN barcode scanner to select Make-Model-Year	~	X
Tire tread depth reader for complete TPMS service management	V	X
Provides TPMS relearn procedures (including indirect/direct)	~	✓
Tests Remote Key Entry (RKE)	V	V
Includes OBDII routines to reset the ECU in <2 min (OBD connectivity)	~	X
Retrieves and decodes TPMS DTC information	V	X
Training and vehicle help-tips for technicians	~	X
Screen Display	4.3" LCD Screen	2.8" monochrome

VT36 TPMS **Programming** Tool

*A*TEQ

SKU **596887**

ATEVT36-0000

- Programs All Leading Aftermarket Programmable Sensors
- Reads and Activates TPMS Sensors
- Displays TPMS Sensor Data (ID, Tire Pressure, Tire Temperature, Battery Status, Frequency)
- Make, Model and Year Specific Relearn Procedures



Lug Wrenches

OEM TOOLS

4-Way SAE and **Metric Lug Nut Wrenches** 14¹¹

SKU **003478** 20560

- Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm) and 7/8" (22 mm)
 Carbon Steel Construction

SKU **003879** 20561

25¹¹

SKU **004126 90**99

20562

• Socket Sizes: 7/8", 15/16", 1", 1-1/16"

14" 4-Way Folding **Lug Nut Wrench** SKU **003459**

20563

- Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm), and 7/8" (22 mm) Heavy-Duty, Drop-Forged Steel
- . Chrome Plated to Resist Corrosion
- Folds for Compact Storage

Price Does Not Include Vehicle or Tires

OEM TOOLS




Price Does Not Include Vehicle or Tires

Telescoping Lug Nut Wrench and Sockets

SKU **912347** 33620564

- 1/2" Drive
- Includes 2 Double-ended Sockets: 17 mm (11/16") x 21 mm (3/4"), 21 mm (13/16") x 22 mm (7/8")
- . Telescoping Handle Extends to 21" for Maximum Leverage
- Compacts to 14" for Convenient Storage

Price Does Not Include Vehicle or Tires



OEM TOOLS



Power Cross 26" Lug Nut Wrench

SKU **EPO/OUTSIDE BUY** 33620565

 Multiple Configurations Provide More Leverage and Twice the Torque of a Standard Lug Nut Wrench Conveniently Collapses to

17" (L) x 1" (W) for Storage

Socket Sizes: 11/16" (17 mm), 3/4" (19 mm), 13/16" (21 mm)

Available via Outside Buv/EPO.

Includes 1/2" Square Drive with Removable 7/8" (22 mm) 1/2" Drive Socket

Storage Mode



Power Mode

Speed Mode 2

Call 1-877-298-6651 for Ordering Instructions Price Does Not Include Vehicle or Tires



Tire Service Supplies

We Have a Full Assortment of Repair Supplies.

Contact Us 1-877-AZTOOL1



Tire Patch Stitcher XTS14-314



8 Oz. **Vulcanizing** Cement XTS14-008





X tra seal

2 1/4" Round Tire 1 Gallon Patch 25 Pk **Tire Lube** XTS14-753PM XTS11-322

SHOP SUPPLY of the MONTH







Rubber Tire Valve 50 Pk XTS17-413-50 **17**⁹⁹



4" Brown String **Tire Repair 50 Pk** XTS12-361 **1999**



Premium Repair Kit XTS12-353



Tire Dollies

Tire Transport Dolly SKU **919498**

24864

• For Efficient, 1-Person Transport of Car, Light Truck and SUV Tires and Wheel Assemblies

- Features (2) 3" Swivel Casters and
- (2) 3" Locking Casters • Stackable Design for Easy Storage
- Dimensions: 25.19" (L) x 25.19" (W) x 6.89" (H)



OEM TOOLS **Tire Transport Dolly** with Extensions

SKU **912349** 139 REG. \$149.99 24865

- Includes Removable Height Extensions
- Weight Capacity: 330 Lbs.
- Dimensions: 25.19" (L) x 25.19" (W) x 21.45" (H)




Offer Good Through September 30, 2018 - While Supplies Last

The Premier TPMS Tool that combines speed with accuracy



TPMS Scan Tool



- ☑ More OBD Relearns **☑** More Fault Code Detection
- **☑** Wireless Updating ☑ TPMS Placard Adjusting
- ☑ Wireless Inductive Charging
- ☑ Passive Key System testing
- ☑ Sensor Programming ☑ Works with Point of Sale systems!

SKU **760944** WRT400PRO



THREE TIME INDUSTRY WINNER!





BARTEC

Steel Weight Starter Kits

Metal Floor Rack with 1,700 Steel Weight Assortment

AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

Weight Replenishment Kit For 5202075 Steel

SKU **383180** AMM5202080



SKU **383181** AMM5202125

• Louvered Rack Can Be Placed on Top of Any Work Bench

• Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



STYLE

PFE, 0.25 Oz.

PFE, 0.50 Oz.

PFE, 0.75 Oz.

PFE, 1.00 Oz.

PFE, 1.25 Oz.

PFE, 1.50 Oz.

PFE, 1.75 Oz.

PFE, 2.00 Oz.

PFE, 2.25 Oz.

PFE, 2.50 Oz.

PFE, 2.75 Oz.

MCFE. 0.25 Oz.

MCFE, 0.50 Oz.

MCFE, 0.75 Oz.

MCFE, 1.00 Oz.

MCFE, 1,25 Oz.

MCFE, 1,50 Oz.

TFE, 0.25 Oz.

TFE, 0.50 Oz.

ALFE, 0.25 Oz

ALFE. 0.50 Oz

LHFE. 0.25 Oz.

LHFE, 0.50 Oz.

FNFE, 10g

FNFE, 15g

ENFE. 10a

ENFE, 15g

IWFE. 10a

IWFE, 15g

AMM5202130 **299**⁹⁹

382853

382919

382920

382921

382922

382923

382924

382925

382926

382927

382928

382841

382842

382843

382844

382845

382846

383004

383005

383021

383022

383129

383130

383038

383039

383108

383118

383119



Wheel Weights



AMM025PFEPK4

AMM050PFEPK4

AMM075PFEPK4

AMM100PFEPK3

AMM125PFEPK3

AMM150PFEPK3

AMM175PFEPK3

AMM200PFEPK3

AMM225PFEPK2

AMM250PFEPK2

AMM275PFEPK2

AMM025MCFEPK4

AMM050MCFEPK4

AMM075MCFEPK4

AMM100MCFEPK3

AMM125MCFEPK3

AMM150MCFEPK2

AMM025TFEPK4

AMM050TFEPK3

AMM025ALFEPK4

AMM050ALFEPK4

AMM25LHFEPK3

AMM50LHFEPK3

AMM10GFNFEPK3

AMM15GFNFEPK3

AMM10GIWFEPK4

AMM15GIWFEPK3

Complete Wheel Weight Program Available!

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information.

PRICE

28.99

27.99

31.99

34.99

37.99

39.99

29.99

31.99

32.99

30.99

34.99

38.99

33.99

38.99

30.99

30.99

27.99

30.99

25.99

27.99

28.99

37.99

OHANTITY

4 Boxes of 25

4 Boxes of 25

4 Boxes of 25

3 Boxes of 25

2 Boxes of 25

2 Boxes of 25

2 Boxes of 25

4 Boxes of 25

4 Boxes of 25

4 Boxes of 25

3 Boxes of 25

3 Boxes of 25

2 Boxes of 25

4 Boxes of 25

3 Boxes of 25

4 Boxes of 25

4 Boxes of 25

3 Boxes of 25

3 Boxes of 25

3 Boxes of 25

3 Boxes of 25

4 Boxes of 25

4 Boxes of 25

4 Boxes of 25

Wheel Weight Profile















Introducing Lead Wheel Weights*

BADA's Thinline Style Un-Coated Wheel Weights are Designed for Steel Wheels on All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans with Standard .125" Flange

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99
752048	AMM5522100200	2.00	1 Box of 50	39.99
752051	AMM5522100225	2.25	1 Box of 50	44.99
752053	AMM5522100250	2.50	1 Box of 50	44.99
752065	AMM5522100275	2.75	1 Box of 50	44.99
752066	AMM5522100300	3.00	1 Box of 50	54.99



THINLINE Lead

and Domestic Cars and Light-Trucks with Steel Wheels


*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states. If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Illinois lowa, Kentucky, Maine, Maryland, Minnesota, New Jersey, New York, Rhode Island, Vermont, Virginia Washington, Wisconsin and
West Virginia. We do offer ste
wheel weights as a suitable
alternative to lead wheel
weights.

Tape-A-Weight® Steel Wheel Weight

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	40 Strips - 12 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



SKU **019292** AMM5310025 14



Tire Service Tools



Air Tire Buffer

SKU **802218** 24410

- Recommended
- Air Pressure: 90 PSI
- Air Consumption: 3.5 CFM • Free Speed: 2.600 RPM
- Air Inlet Thread Size: 1/4" NPT

• Minimum Hose Size: 3/8'

2 Piece **Valve Core Tool Set**

SKU **255622 VCTSET**

- For Inserting or Removing Valve Cores
- Ergonomic Shaped Handles That Provide Firm Grip
- Includes 2" and 4" Tools

4 Piece.

Socket Set

SKU **965857**

3" Extension

24223

Truck Wheel Stud Installer

SKU **339117**

- 24235 Designed to Work on Truck Wheel
- Studs Up to 22 mm (7/8") in Diameter . Use with an Impact Wrench or Ratchet

SAVE \$14.99 When You Buy the Set

Wheel Stud Installer Set for Cars and Trucks

SKU **339125**

24236

OEM TOOLS Wheel **Weight Hammer Tool**

25690 Tool Installs, Removes

- Types of Clip-On Wheel Weights
- Features a Special Plastic Material on Hammer Installation of Specially Coated Wheel Weights Used on

OEM TOOLS 8 Piece

SKU **818715**

24233

. Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing

- and Dodge
- 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25



3 Piece **Super Strength Wheel Nut Impact Socket Set**

Wheel Stud

• Works with Hubs, Rotors and Axles on Both Front and Rear

Prevents Damage to Lug Nut

Designed to Fit Studs Up to

Extra Thin Wall, Wheel/

Nut Protector Impact

OFM TOOLS

Wheel Drive Vehicles

14 mm or 9/16"

Installer

SKU **339123**

24234

3 Piece.

Socket Set

• 17 mm / 11/16" - Blue

SKU **094646**

25583

• 19 mm /

• 21 mm /

3/4" - Yellow

13/16" - Red

SKU **347212** 24227

OEM TOOLS

· Color Coded for Easy Size Identification Blue - 17 mm Gold - 19 mm Red - 21 mm





OEM TOOLS

OEM TOOLS

Deep Thin Wall, SAE and

• Includes 3/4" - 13/16", 19 mm - 21 mm

and 7/8" - 15/16" Sockets and

Metric Impact Flip

9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU **965865** 24225

• Includes: GM Hubcap Lock Remover,

GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover,

Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover. Remover for Stripped 18 mm Lug Nuts, GM "M" and "F" Body

Torque Limiting

• Quick, Simple and Accurate

• Helps Prevent Lug Stud/Nut Damage

• Includes 1/2" Drive Extensions: 65 Ft/Lbs., 80 Ft/Lbs., 100 Ft/Lbs., 120 Ft/Lbs. and 140 Ft/Lbs.

Extension Set

and Warped Rotors

5 Piece

SKU **965858**

5 Gallon

SKU **526505**

Max. 120 PSI

24449

Bead Seater

• Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires

• Operates on Standard Shop Air;

• Lip on Barrel Allows for Proper

Angle for Correct Bead Seating

24220



OEM TOOLS

9 Piece, Thin Wall, **Wheel Protector**

Impact Socket Set SKU **965856**

24224

- . Hard Plastic Sleeve and Insert from Damage
- Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm





OEM TOOLS **Torque Limiting Extension**

24228

• (4) Extension Bars: 65 Ft/Lbs. (90 Nm),

- 90 Ft/Lbs. (120 Nm), 100 Ft/Lbs. (135 Nm) and 110 Ft/Lbs. (150 Nm)
- 21 and 22 mm



OEM TOOLS

Removal Set SKU **749919 59 99** REG. \$69.99

Needed

Vans and SUVs

Hand Crank, and Heavy-Duty Nylon Pouch

Offer Good Through

LIS19822

• Tank Features Reinforcement Ribs for Extra Support

to Wide Oval and Light Duty Truck Tires





- Trims and Tightens All
- Head for Safe, Mar-Free Alloy Wheels

- the Wheel Bolts Applications:
- Sizes Included:





SEPTEMBER

16 Piece Locking Lug Master Key Set SKU **626107**

24447 Easily Removes Locking Lug Nuts on

Most Aftermarket Wheels Thin Wall Sockets **Prevent Damaging** Wheels and Lugs

 Double Hex-Head Design Fits Most Lug Wrenches as Well as 13/16' and 7/8" Sockets

Chart Included



OEM TOOLS 10 Piece **Torque Limiting Socket** Set - 1/2" Drive SKU **965855**

24221 • Prevents Under and Over Torquing • Includes: 17 mm x 55 Ft/Lbs.

17 mm x 80 Ft/Lbs 21 mm x 80 Ft/Lbs 19 mm - 3/4" x 100 Ft/Lbs. 19 mm - 3/4" x 65 Ft/Lbs. 19 mm - 3/4" x 80 Ft/Lbs.

22 mm - 7/8" x 120 Ft/Lbs.







· Will Handle Passenger Tire Sizes

Dimensions: 31" (L) x 12" (W) x 12" (H)



Wheel Stud Alignment Guide Kit



Mercedes-Benz, BMW, Audi, VW, Porsche, Fiat





Protects Expensive Wheels and Lug Nuts



8 Piece and Thin Wall Socket Set

SKU **347217**







• 32" Reach Allows Access to Spare Tires Stored on the Undercarriage of Pickups,

• Includes: (6) Zinc-Plated Steel
Tools that Fit a Range of Vehicle Types, No Additional

September 30, 2018 - While Supplies Last

SERVICE





Lift Gate Service Sku **Dan262534 | Danliftgate**

Available via Outside Buy/EPO,



3-YEAR WARRANTY on STRUCTURE, **PARTS & LABOR** with purchase of an ALI Certified lift.

WHEEL SERVICE

T-100 SWING ARM TIRE CHANGER

SKU **547117** DAN1381202

- Ideal for Low Volume Shops
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides Solid Turn-Table Base
- High Torque Electric Turn-Table

T-100 TOWER ASSIST TIRE CHANGER

OUTSIDE BUY/EPO DAN1381205

• Single Tower Assist Arm for Low-Profile and Run-Flat tires

T-100 POWER ASSIST TIRE CHANGER

OUTSIDE BUY/EPO 2,29999 DAN1381206

Single Swing Arm with Power Assist

DAN1381206

1-Year Parts Warranty

T-200 TILT BACK TIRE CHANGER OUTSIDE BUY/EPO

- Tilt-back Tower Design
- Assist Arm Aids in Changing Low-profile and Run-flat Tires
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides
- Solid Turn-Table Base • High Torque Electric Turn-Table
- Outside Clamp: 9" 26"

1-Year Parts Warranty

T-200 TILT BACK TOWER ASSIST

TIRE CHANGER OUTSIDE BUY/EPO

• Power Assist Provides Additional Power

When Mounting Difficult Tire Assemblies

Outside Clamp: 9" - 26"

1-Year Parts Warranty



B-100 WHEEL BALANCER SKU **547121** DAN1381201

- Excels in Low Volume Shops
- Touch-Display Panel
- Quick and Easy Mounting • Power-Saving Mode
- Includes Data Acquisition

and Quick Nut Mounting Price Does Not Include Tires or Rims as Show,



B-200 DIGITAL WHEEL BALANCER OUTSIDE BUY/EPO

• LED Display Moniter

DAN1381204

- Easy and Fast Mounting
- Power-Saving Mode
- · Automatic Measuring Wand • Quick-Release Hub Nut

1-Year Parts Warranty

Price Does Not Include Tires or



PORTABLE LIFTS

SKU OUTSIDE BUY/EPO DAN1375685

- 100% Portable
- 3-Year Warranty on Parts & Labor

Optional Equipment as Shown



• Lifting Capacity: 6,000-lbs • Perfect for Limited Space

Price Does Not Include Vehicles, Installation or



SX-6

SKU **555446** DAN1375652

- Lifting Capacity: 6,000-lbs
- 100% Portable
- Perfect for Body, Repair & Tire Shops
- Safety Bar with Multiple Lock Positions

1-Year Parts Warranty

DO-8 OIL DRAIN

• Adjustable Height 48" - 67" Large Drainage Funnel Mouth • Wide Drain Pipe for Draining Oil

DO-20 OIL DRAIN

SKU **186458** DAN122829

Quickly

SKU **343408**

• 20-Gal Capacity

Self Evacuating

• 15" Drainage Funnel • Includes Regulator and Gauge

TJ-1000 .5 TON

• First Stage: 1,000-lbs

Heavy-Duty Steel

Swivel Casters • Min: 34" - Max: 71"

• Second Stage: 500-lbs

• Height Adjusts from 45" to 72.5"

TRANSMISSION JACK

SKU **949578 59999** DAN105453

DAN122835

• 8-Gal Capacity

SHOP EQUIPMENT



Price Does Not Include Vehicles, Installation or Optional Equipment as Showr

2-POST LIFTS

D-9/X

SKU 186430 DAN1375646 **2,699**99

- Lift Capacity 9,000-lbs
- Floorplate Style
- Perfect for Shops and Garages with Height Restrictions



Truck Adapters Included

D-10/CX

• Rise: 69"

D-10/ACX

SKU **186433** DAN1375647

• Lifting Capacity: 10,000-lbs • Great for Passenger Cars & SUV's

• Overall Height: 145"

• Overall Width: 143-1/2"

• Asymmetric Wide

SKU **186432** DAN1375649 **2,6**

- Great for Lifting Light Duty Trucks
- Overall Width: 145"
- Symmetric Wide

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Truck Adapters Included

DAN1375647

4-POST LIFTS

Price Does Not Include Vehicles, Installation or

D-7

SKU **186464**

- Lifting Capacity: 7,000-lbs
- Perfect for Parking & Storing Vehicles
- Spring-Loaded Safety Locks on Each Column
- 36" Drive-up Ramps • 3-Year Warranty
- on Parts & Labor



D-7/X

OUTSIDE BUY/EPO 2,59990 DAN1375644

• Extended Height, Width and Rise

• 36" Drive-up Ramps



Price Does Not Include Vehicles, Installation or

D-12 FOUR POST LIFT SKU **343410**

DAN1375681 • Lifting Capacity: 12,000-lbs

- Multi-Position Safety Locks in Each Column
- 3-Year Warranty on Parts & Labor



Max Rise: 66"

D-12/A ALIGNMENT LIFT SKU **579870** DAN1375682

- Lifting Capacity: 12,000-lbs
- Alignment Ready
- Turn Plates & Slip Plates Included
- 3-Year Warranty on Parts & Labor



DAN1381815

Includes (2) DRJ-6 and Airline Kit





Works with D12 and D-12/A

ROLLING BRIDGE JACK

Perfect For Lifting Wheels Off the Runways



AIRLINE KIT SKU **752035** DAN17057064 **27**

• Neatly Route Your Bridge Jack to an Air Source



Optional Equipment as Shown



DID YOU KNOW?

AutoZone® has availability on Moog **HUB Bearing Assemblies.**

Contact Your AutoZone Commercial Sales Manager for Details





Contact us at 877-866-5739 Prices Are Good July 1 Thru September 30, 2018 Promo Good While Supplies Last! Available thru Outside Buy/EPO



ATEATWB41-FPD Computer Wheel Balancer

- Rim sizes: 10"-32"Maximum wheel weight: 150 lb.
- 110 V/1-phase
- Display in standard or metric units
- Self-diagnosis/self-calibration





ATEATTD-APEX9BP-FPD 9,000 lb. Capacity baseplate 2-post lift, ETL/ALI

- ,000 lb. capacity • Overall height: 111-1/8" (9' 3-1/8")
- Symmetric arms
- ETL/ALI Certified

Does not include Vehicles, Installation or Optional Equipment as shown

2,098⁹⁹ Price does NOT include Installation or Optional Equipment as shown ATEATPK-9OHSCSS-FPD 9,000 lb. Capacity **Overhead 2-Post Lift** 9,000 lb. capacityOverall height: 142" (11' 10")Super-symmetric arms

2,694⁹⁹

• Shipping weight: 1,450 lb. Freight pre-paid

10,000 LB. Capacity Extra Tall Overhead 2-Post Lift

· 2 year warranty on material and workmanship

- 10,000 lb. capacity
 Overall height: 139 7/8" (11' 7 7/8") or 135 7/8" (11' 3 7/8")
- Super-symmetric arms
 ETL/ALI Certified
- 2 yr warranty on material and workmanship

Price does NOT include Installation or Optional Equipment as shown



- ETL/ALI 12.000 lb. capacity • Overall height: 165" (13' 9") or 177" (14' 9")
- Symmetric arms
- ETL/ALI Certified

Price does NOT include Installation or Optional Equipment as shown









ATEATTD-6MR-FPD 6,000 lb. Capacity Mid-Rise Scissor Lift

- 6,000 lb. capacity
- Lifting height: 53-1/2" (4' 5-1/2")
- 7 locking positions • 2 year warranty on material and workmanship
- Shipping weight: 1,050 lb.

Does not include Vehicles, Installation or Ontional Equipment as shown



2,394⁹⁹



Atlas Garage Pro 8,000 Lb. Capacity 4 Post Lift

- Lifting Height: 72" (6')
 Lock Ladder Design Double Lock Safety System
- Includes: Caster kit w/ polyurethane wheels, steel approach ramps, jack tray and (4) plastic drip trays, (4) wheel stops
 2 Year Structural, 1 Year Hydraulic Warranty



ATEATTD-APEX14-FPD

14,000 lb. Capacity 4-Post Lift

- Overall Height: 7' 8-1/2"
 Overall Floor Width (w/o motor): 10' 11-2/3"
- Clearance Between Columns: 9' 8-1/2"
- Maximum Lift Height: 6' 4-1/2" • ETL/ALI Certified • Freight pre-paid

Price does NOT include Installation

,644⁹⁹

ATEATTD-APEX-AK-FPD Atlas APEX Alignment Kit for APEX14

- Complete kit to convert the APEX 14 into an alignment lift · Includes turn tables, slip plates and covers

· Freight pre-paid

Price does NOT include Installation or Optional Equipment as shown





ATETC289DAA-FPD Atlas TC 289 Tire Changer with Dual Assist Arms

· Pneumatic Atlas LH assist arm Pneumatic Atlas RF assist armBead Roller

1,572⁹⁹

Clamp Tire Changer With Beadblaster

Price does NOT include Installation or Optional Equipment as shown

• 110 Volt motor

workmanship · Shipping weight: 550 lb.

Price does NOT include Installation or Optional Equipment as shown





ATEATEDGE-601-P-FPD Bluetooth® Wireless Alignment

- Machine With 3 Pt Clamps
- No rollback compensation required
 Measure virtually anywhere with Bluetooth® wireless sensors Precision 8-camera CCD optical system
- Wireless mobile app compatible
 Includes 10"-24" non-runout 3-pt FastClamp wheel clamps Deluxe cart style cabinet with printer, 19" LCD display and keyboard



ATEATEDGE-5014P-FPD Edge 501 Wireless 8 Camera Alignment Machine

With 4 Point Clamps Bluetooth ® Wireless Data Transmission

- 8 Camera Optical System
- Standard Four Point Clamps Included
- Deluxe Cabinetry With Printer Drawer Lightweight (8 LB.) Sensor Heads
- Printer, LCD Monitor, Keyboard Linless Wheel Adapters
- 2 Heavy Duty Turntables Included
- 1 Brake Pedal Depressor
- 1 Steering Wheel Lock
- Wireless App Compatible
- Vast Vehicle Database
 Simple 4 Key Operation From Console Or From Any Sensor Head Spoiler Program For Low Air Dams

Price does NOT include Installation or Optional Equipment as shown

Prices Subject to Change without Notice. Please Do Not Return Purchases to the Store. For Information Regarding Warranty or Repair and/or Any Questions or Concerns, Please Call 1-877-AZTOOL1.