SERVICE





FOR FINANCING **PROGRAMS** SEE PAGE 2

877-AZTool1 877-298-6651 Hablamos Español AZtool1.com

WHEEL SERVICE CO **EAND**







SERVICE



Complete Wheel Weight Program Available! Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information

AZ SKU NUMBER	PART NUMBER	STYLE	QUANTITY	PRICE	PFE Stee
382853	AMM025PFEPK4	PFE, 0.25 Oz.	4 Boxes of 25	28.99	C3
382919	AMM050PFEPK4	PFE, 0.50 Oz.	4 Boxes of 25	29.99	5
382920	AMM075PFEPK4	PFE, 0.75 Oz.	4 Boxes of 25	34.99	MCFE Ste
382921	AMM100PFEPK3	PFE, 1.00 Oz.	3 Boxes of 25	33.99	-
382922	AMM125PFEPK3	PFE, 1.25 Oz.	3 Boxes of 25	38.99	F
382923	AMM150PFEPK3	PFE, 1.50 Oz.	3 Boxes of 25	41.99	Y.
382924	AMM175PFEPK3	PFE, 1.75 Oz.	3 Boxes of 25	45.99	TFE Stee
382925	AMM200PFEPK3	PFE, 2.00 Oz.	3 Boxes of 25	47.99	
382926	AMM225PFEPK2	PFE, 2.25 Oz.	2 Boxes of 25	35.99	
382927	AMM250PFEPK2	PFE, 2.50 Oz.	2 Boxes of 25	38.99	U
382928	AMM275PFEPK2	PFE, 2.75 Oz.	2 Boxes of 25	39.99	ALFE Ste
382841	AMM025MCFEPK4	MCFE, 0.25 Oz.	4 Boxes of 25	36.99	0
382842	AMM050MCFEPK4	MCFE, 0.50 Oz.	4 Boxes of 25	41.99	01
382843	AMM075MCFEPK4	MCFE, 0.75 Oz.	4 Boxes of 25	46.99	42
382844	AMM100MCFEPK3	MCFE, 1.00 Oz.	3 Boxes of 25	39.99	LHFE Ste
382845	AMM125MCFEPK3	MCFE, 1.25 Oz.	3 Boxes of 25	46.99	R
382846	AMM150MCFEPK2	MCFE, 1.50 Oz.	2 Boxes of 25	36.99	
383004	AMM025TFEPK4	TFE, 0.25 Oz.	4 Boxes of 25	36.99	V
383005	AMM050TFEPK3	TFE, 0.50 Oz.	3 Boxes of 25	33.99	FNFE Ste
383021	AMM025ALFEPK4	ALFE, 0.25 Oz.	4 Boxes of 25	36.99	R
383022	AMM050ALFEPK4	ALFE, 0.50 Oz.	4 Boxes of 25	41.99	43
383129	AMM025LHFEPK3	LHFE, 0.25 Oz.	3 Boxes of 25	30.99	9
383130	AMM050LHFEPK3	LHFE, 0.50 Oz.	3 Boxes of 25	33.99	ENFE Ste
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	34.99	63.
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	36.99	
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	41.99	IWFE Ste
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	45.99	IWFE Ster
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	41.99	61

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	40 Strips - 12 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips -	54.99



 	 7 Segments Each	•



• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

Weight Replenishment Kit For 5202075 Steel SKU 383180 AMM5202080

Tape-A-Weight®

Roll Dispenser

SKU 019292

AMM5310025

14999



Stand Only,

Not Included

Weights

Bench Top Rack with 1,000 Coated Steel Weight Assortment

SKU **383181 490**99 AMM5202125

- Louvered Rack Can Be Placed on Top of Any Work Bench
- Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hamme (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange

Weight Replenishment Kit For 5202125 Steel SKU 382825 AMM5202130





В

FOR FINANCING PROGRAMS SEE PAGE 2

877-AZTOOI1 877-298-6651 Hablamos Español AZtool1.com

9

CEMB Tire Changers SM915ATIPA Swing Arm **SM951HPA Smart Blade** SM825 Semi **Professional Tire Changer Tire Changer with Table** Automatic Swing Arm **Top Inflators and Press Arm** SKU OUTSIDE BUY/EPO **9,899**⁹⁹ **Tire Changer** CMBSM951HPA CMBSM915ATIPA **7,149**99 SKU **221524** SKU **757052** • Dual Clamping Cylinders CMBSM825 · Adjustable Table with Inflators on Each Clamp • Suitable for Car and Light Commercial Wheels Clamping Range: 13" - 26" Double Effect Bead Breaker Clamping Range: 10" - 28" • Air Tank in Tower • Bead Breaker Shovel with Power-Out System Air Tank in Tower • Dual Clamping Cylinders Clamping Range: 10" - 28" • Dual Clamping Cylinders Semi-Automatic Swing Arm • Fully Adjustable Bead Breaker with Semi-Automatic Swing Arm • Inflators on Each Clamp Smart Blade System • Inserts Protect Aluminum Wheels · Adjustable Bead Breaker · Help Arm and Press Arm • Inflators on Each Clamp (One on Each Side) · Adjustable Bead Breaker Press Arm and Bead **Great Value** Pressing Tool Specialty Shops/ Aftermarket Wheel **High Volume Tire Shops** NCLUDES: et-Up and Trainin INCLUDES: -Up and Trainin WARRANTY: 1 Year Parts/Labor WARRANTY: 1 Year Parts/Labor Available via Outside Buy/EPO, WARRANTY: 1 Year Parts/Labor Call 1-877-298-6651 for Ordering Instructions User Set-Up Required **60**00 **Lift Gate Service** SKU 765535 | CMBLIFTGATE **Coats Tire Changers** coats **RC-55E Rim Clamp®** 60X Rim Clamp® 70X, Electric, Hand, **Premium Accessory Kit Tire Changer Tire Changer RC-45E Rim Clamp®** SKU 298103 7,409⁹⁹ ки **979908** АММ80070ХЕНЗ **8,699**99 SKU 688223 **Tire Changer** AMM8560995001 **5,57** SKU 688225 (Electric) AMM8560994901 4,539⁹⁹ • Robo-Arm[®] Power Assist for Low Profile • Rim Diameter: 6 - 24" External • Rim Diameter: 6 - 24" External and Run-Flat Tires • Patented Robo-Arm® Helper Device Patented Robo-Arm[®] • External Rim Clamping Range: 6" - 24" • External Rim Clamping Range from Hand Activated Helper Device Maximum Rim Width: 10.5" 6" - 24" Diameter • Hand Activated Bead Loosener Bead Loosener • Maximum Tire Diameter: 50" Maximum Rim Single Point • Single Point Sealer Width 10.5" · Includes Bead Sealer Sealing Jet to Aid Inflation • Maximum Tire Diameter 50" • Electric Turntable **Grip Max**[®] Plus **Adjustable** Clamps SKU 012699 AMM85607986 **619**⁹⁹ • 16" - 28" External Clamping Updated Jaw Profile Accommodates Newer **Rim Flange Profiles** Wider Grip Contact WARRANTY: WARRANTY: Area and New 1 Year Parts/ 6 Months Labor 3 Years Parts/ 6 Months Labor Material Further WARRANTY: **INCLUDES:** INCLUDES INCLUDES: Reduce Slip on WARRANTY: INCLUDES: cturer'<u>s Set-Un</u> Price does not include tires Price does not include tires 3 Years Parts/ 6 Months Labor anufacturer's Set-Up 1 Year Parts/ 6 Months Labo Polished Surfaces or rims as show or rims as show **55**00 Lift Gate Service SKU 262529 | AMMLIFTGATE **Ranger Tire Changers** 🛜 Ranger. **R980XR NextGen**[™] **R980AT RimGuard**[™] **R76ATR Tilt-Back** Tire Changer with Assist Tower Swing-Arm Tire Changer Swing-Arm and Assist Tower **R76LT Tilt-Back** sku 312817 RANR980XR 2,58 **Tire Changer Tire Changer** SKU **544537** SKU **544543** SKU 544537 RANR980AT 3,74 SKU 544543 RANR76ATR 4,089 SKU **544546** • Drive System Type: Electric / Air RANR76LT • Motor: 2 HP (110/208-240V. 50-60 HZ) • Motor: 2 HP (110/208 - 240VAC 50-60 Hz) • Motor: 2 HP 110 / 208 - 240VAC, 50-60 Hz • Drive System Type: Electric / Air



Free Delivery in 48 Continental United States
Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown.
Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Customer Sales Rep for Details.
Leasing Terms Available.⁺ Ask Your AutoZone[®] Commercial Sales Manager.

TIRE SERVICE



Lift Gate Service SKU 290017

		THEC		
7	I	HOFLIFTGATE	95	00

Mount / Demount Heads	Fits On	Models		Fits On	Models TMR
Red Nylon Mount/Demount Head SKU 459185 TMRTCR343	Hunter Accuturn Ranger	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 and TC3100 Series (Require Adapter) 220A, All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models, R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter	Coats Nylon Mount/Demount Head - Tapered Hole SKU 459189 TMRTC450310	All Tool Coats Corghi Giuliano Hofmann Hunter Sice	All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620 and 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft and Kit RP11-8-114-00091) M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436 and S436TOP
Coats Nylon Mount/Demount Head - Tapered Hole	Coats	5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660 and 7665			043010r
sku 459183 TMRTC183061 29⁹⁹ TWF	Baseline	BL200, BL300, BL400 and BL500	Coats Nylon Mount/Demount Head - Tapered Hole sku 459174 TMRTC20024335	Accuturn Hofmann	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP
The second se	Coats	Replacement for Coats 8184432. For use on Models RC100, RC150, RC200, 5030, 5035, 5040, 5045, 5050 Series, 5060 Series, 5065 Series, 6050, 6060,			EHP System IVE, IV, III, IIE All Models
SKU 557259 TMRTC184432 44 <i>99</i>		6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, BL200, BL300, BL400, and BL500	Nylon Mount/Demount Head Kit with Round Hole	Accuturn Hofmann	3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM,
Tool Head for Hunter SKU 557241 4999 TMRTC14120 4999	Hunter	TCA34 with Serial Numbers 664 and Above	SKU 459195 TMRTC14024784 79⁹⁹	John Bean Snap On	1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE All Models
Mounting Flange for Demount Head (Flange Only)* SKU 899502 64,99 RAN5150524 64,99	Ranger	All Models	Nylon Mount/Demount Head Kit with Round Hole SKU 459187 TMRTC250309	All Tool Coats Corghi Hofmann Sice	All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC

Test Tank Tire Spreader OEMTOOLS Branick lisle **Tire Tube Test Tank Tilting Swivel Top 5025 Tire Spreader** SKU 291382 699 **Manual Tire Spreader** SKU **757051** LIS19822 BRA00-0161 SKU 804480 Tank Features Reinforcement Ribs 99 Self-Locking Spread Arms 26679 for Extra Support • 4 Horizontal and 2 Verticle Adjustments • Will Handle Passenger Tire Sizes • 5 Position Locking Swivel Top to Wide Oval and Light Duty Truck Tires • Handles Any Passenger Tire, • Foot Operated Tilting Mechanism • Dimensions: 31" (L) x 12" (W) x 12" (H) Including Low Profiles Adjustable Tire Spreaders Quick Pin Adjustment with Lanyard

Tire Inspection Tool



- Works With Most Passenger Car and Light Truck Tires





10


877-AZTOOL1 / 877-298-6651 Hablamos Español AZtool1.com

MOST ORDE SEE PAGE 3 FOR DETAILS





TIRE SERVICE



12